

Fracking study finds new gas wells leak more

June 30 2014, by Seth Borenstein



This July 27, 2011 file photo shows a farmhouse in the background framed by pipes connecting pumps where the hydraulic fracturing process in the Marcellus Shale layer to release natural gas was underway at a Range Resources site in Claysville, Pa. In Pennsylvania's fracking boom, new and more unconventional wells leaked far more than older and traditional wells, according to a study of inspections of more than 41,000 wells drilled. And that means that that methane leaks could be a problem for drilling across the nation, said the author of the study, which funded in part by environmental activist groups and criticized by the energy industry. The study was published Monday by the *Proceedings of the National Academy of Sciences*. (AP Photo/Keith Srakocic, File)



In the state of Pennsylvania's gas drilling boom, newer and unconventional wells leak far more often than older and traditional ones, according to a study of state inspection reports for 41,000 wells.

The results suggest that leaks of methane could be a problem for drilling across the nation, said study lead author Cornell University engineering professor Anthony Ingraffea, who heads an <u>environmental activist group</u> that helped pay for the study.

The research was criticized by the energy industry. Marcellus Shale Coalition spokesman Travis Windle said it reflects Ingraffea's "clear pattern of playing fast and loose with the facts."

The Marcellus shale formation of plentiful but previously hard-to-extract trapped natural gas stretches over Pennsylvania, West Virginia and New York.

The study was published Monday by the *Proceedings of the National Academy of Sciences*.

A team of four scientists analyzed more than 75,000 state inspections of gas wells done in Pennsylvania since 2000.

Overall, older wells—those drilled before 2009—had a leak rate of about 1 percent. Most were traditional wells, drilling straight down. Unconventional wells—those drilled horizontally and commonly referred to as fracking—didn't come on the scene until 2006 and quickly took over.

Newer traditional wells drilled after 2009 had a leak rate of about 2 percent; the rate for unconventional wells was about 6 percent, the study found.





This undated handout frame grab taken from video, provided by the Pennsylvania Department of Environmental Protection shows bubbling due to impaired cementing in an unconventional gas well in Pennsylvania, In Pennsylvania's fracking boom, new and more unconventional wells leaked far more than older and traditional wells, according to a study of inspections of more than 41,000 wells drilled. And that means that that methane leaks could be a problem for drilling across the nation, said the author of the study, which funded in part by environmental activist groups and criticized by the energy industry. The study was published Monday by the *Proceedings of the National Academy of Sciences*. (AP Photo/Pennsylvania Department of Environmental Protection)

The leak rate reached as high as nearly 10 percent horizontally drilled wells for before and after 2009 in the northeastern part of the state, where drilling is hot and heavy.



The researchers don't know where the leaky methane goes—into the water or the air, where it could be a problem worsening man-made global warming.

The scientists don't know the size of the leaks or even their causes and industry officials deny that they are actual leaks. The study calls it "casing and cement impairment," but the study's lead author says that is when methane is flowing outside the pipe.

"Something is coming out of it that shouldn't, in a place that it shouldn't," said Ingraffea, who has been part of a team of Cornell researchers finding problems with fracking. Also, Ingraffea heads a group of scientists and engineers that has criticized fracking and two of his co-authors are part of the group.

The study didn't discuss why the leak rate spiked. Ingraffea said it could be because corners are being cut as drilling booms, better inspections or the way the gas is trapped in the rock formation.

Pennsylvania regulatory officials said their records show that gas leaks peaked in 2010 and are on the way down again, reflecting their efforts to stress proper cementing practices. Further in 2011, the state focused more on unconventional wells to make leak protection efforts "more stringent," wrote Morgan Wagner, a spokesman for the state environmental agency.

Energy industry officials attacked the study and Ingraffea.

Chris Tucker, spokesman for industry-supported group Energy In Depth, said what they measured may not be leaks but state inspectors detecting pressure buildup.

"The trick these researchers are pulling here is conflating pressure with



leakage, trying to convince folks that the mere existence of the former is evidence of the latter," Tucker wrote in an email.

But outside scientists, even pro-drilling ones, praised the study.

Tony Engelder of Pennsylvania State University, a pioneering supporter of the Marcellus fracking boom, said it shows there is plenty of room for improving drilling safety.

"It clearly indicates that there is a problem with the production" of the wells, said University of California Santa Barbara engineering professor and methane expert Ira Leifer, who wasn't part of the study.

More information: "Assessment and risk analysis of casing and cement impairment in oil and gas wells in Pennsylvania, 2000–2012," by Anthony R. Ingraffea, Martin T. Wells, Renee L. Santoro, and Seth B. Shonkoff. www.pnas.org/cgi/doi/10.1073/pnas.1323422111

© 2014 The Associated Press. All rights reserved.

Citation: Fracking study finds new gas wells leak more (2014, June 30) retrieved 22 September 2024 from https://phys.org/news/2014-06-fracking-gas-wells-leak.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.