

The Malaspina Expedition confirms that pollution reaches even the most remote areas of the ocean

September 16 2014

Three years after the Hesperides vessel returned to Spain culminating the around the world of the Malaspina Expedition, researchers have an increasingly clear picture of how the global ocean works and what is its health condition. Specifically, the input of pollutants from the atmosphere is not limited to coastal areas, but also occurs in the most remote areas of the planet, and it is already affecting the ocean ecosystem.

This and other findings are presented this week in CSIC Residence for Researchers in Barcelona, in a congress that ends the largest interdisciplinary project in history about global change. About 80 researchers will participate in lectures, which will deepen the impact of [global change](#) on marine plankton, the effects of temperature increase, the rate at which heat is transported, or the consequences of ultraviolet radiation increase.

The Mark of Global Change

The expedition has generated, for the first time, a database that compiles the levels of organic pollutants in all the oceans. Researchers have managed to determine how the dioxins, chemical compounds generated during combustion of organic waste, are globally distributed.

Jordi Dachs, CSIC researcher at the Institute of Marine Sciences and one

of the authors of the work that also confirms that these pollutants have begun to affect phytoplankton and zooplankton, states: "Concentrations are larger near the continents than in the central areas of the [ocean](#), a circumstance that is explained by the degradation processes during transport as they are directly deposited into the ocean from the atmosphere. CSIC researcher and Malaspina coordinator, Carlos Duarte, states: "We noticed that pollutants enter directly into the ocean through the atmosphere, reaching the most [remote areas](#) of the planet, with contributions that are already affecting the [ocean ecosystem](#)". In addition, during the project, the largest database of [polycyclic aromatic hydrocarbons](#) (PAHs) in the ocean has been generated. PAHs are found as part of the fossil fuels and they are also generated during the combustion of oil and coal. Duarte asserts: "We have found that the concentrations of PAHs are higher near the continents than in the central areas of the ocean, and that a diffuse input of PAHs from atmospheric deposition occurs. This input is greater than the arrival of oil spills in the ocean and occurs in all oceans, but its impact is still unknown". Researchers have already shown, from samples collected on board, that there are five large accumulations of plastic waste in the open ocean, coinciding with the five major circulation turns of oceanic surface water. According to these results, the problem of [plastic waste](#) pollution has a global character. Duarte emphasizes: "Only a global expedition as Malaspina could obtain these results and evaluate the overall abundance of plastic pollution".

Understanding the Ocean Ecosystem

Duarte states: "The Malaspina Expedition has meant a leap forward in understanding the ecosystem of the global ocean, particularly in the waters below the exposure to sunlight, where we discovered a fish biomass up to 10 times higher than previously thought". Researchers have already begun to sequence the genome of the global deep ocean, using more than 2,000 samples of microorganisms collected in the

Atlantic, Indian and Pacific Ocean during the expedition. This collection of marine microbial genomics, the world's first at a global scale, will provide new keys to a reservoir of unexplored biodiversity, as it could mean the finding of tens of millions of new genes in the coming years. The sequencing works, framed in the Malaspinomics project, focus on the viruses, bacteria and protists that inhabit the ocean to 4,000 feet deep. Preliminary results of Malaspinomics reveal a wealth of previously unknown species of microorganisms in the deep ocean. Specifically, 60% of the bacterial species detected by deep-ocean massive sequencing techniques are unknown.

A Unique Expedition

The project coordinator adds: "The Spanish oceanography had never led a project with such an international dimension, with more than 18 countries involved. In addition to marking a before and after for scientific advances, has managed to break traditional boundaries and suspicion between scientific groups. It has also been able to approach the Spanish oceanographic to society".

Provided by Spanish National Research Council (CSIC)

Citation: The Malaspina Expedition confirms that pollution reaches even the most remote areas of the ocean (2014, September 16) retrieved 22 September 2024 from <https://phys.org/news/2014-09-malaspina-pollution-remote-areas-ocean.html>

| |
|--|
| <p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p> |
|--|