

# Nestling birds struggle in noisy environments

October 29 2014

---

Unable to fly, nestling birds depend on their parents for both food and protection: vocal communication between parents and offspring helps young birds to determine when they should beg for food and when they should crouch in the nest to avoid a predator seeking an easy meal.

A group of researchers from Dalhousie University in Halifax, Nova Scotia has found that ambient, anthropomorphic noise – from traffic, construction and other human activities – can break this vital communications link, leaving nestlings vulnerable or hungry.

Their results will be presented at the 168th Meeting of the Acoustical Society of America (ASA), held from October 27-31, 2014 at the Indianapolis Marriott Downtown Hotel. They suggest that spreading urbanization and development can negatively impact birds' well-being through proximity to their habitat, not just its destruction.

Faced with tough competition from hungry siblings, nestling birds instinctively react quickly to any sign that a parent might have food, vigorously begging to attract attention. While this rapid response increases their likelihood of getting a good meal, it also puts them at risk of hastily misidentifying predators as parents. On the other hand, if overly-cautious nestlings fail to hear their parents approach with food, the missed detection could cost them a meal.

The Dalhousie University team suspected that nestling birds' exaggerated begging calls might be an attempt to convey an important message in the face of background noise, rather than just an overly dramatic plea for

attention. "This idea had been neglected, perhaps because parents and nestlings are so close to each other when they communicate that you might think error wouldn't be an issue," said researcher Andy Horn.

To test their hypothesis, the researchers presented nestling tree swallows (*Tachycineta bicolor*) with audio recordings of a parent warning of a predator or announcing a food delivery. They compared the young birds' responses to the sounds when played with recorded background noise or in a quiet environment.

The team found that [background noise](#) reduced nestlings' responsiveness to both feeding calls and alarm calls: they often failed to beg in response to the feeding calls, and continued begging instead of crouching and falling silent when parents warned of predators. They received little assistance from their parents, who did not appear to change their calls in noisier situations.

Although not all ambient noise comes from human activity, a busy interstate or a new housing development is a more persistent source of noise than intermittent natural phenomena like wind and rain, Horn said. In future studies, Horn and his colleagues hope to determine which sounds are particularly detrimental for parent-nestling communication.

"We usually associate declines in animal populations with our physical destruction of habitat, but the noise we make is another threat that we can't ignore," he said.

**More information:** Presentation #3aAB2, "How nestling birds acoustically monitor parents and predators," by Andrew G. Horn and Martha L. Leonard will take place on Wednesday, October 29, 2014, at 8:50 AM in Lincoln. The abstract can be found by searching for the presentation number here: [asa2014fall.abstractcentral.com/planner.jsp](http://asa2014fall.abstractcentral.com/planner.jsp)

Provided by Acoustical Society of America

Citation: Nestling birds struggle in noisy environments (2014, October 29) retrieved 22 September 2024 from  
<https://phys.org/news/2014-10-nestling-birds-struggle-noisy-environments.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.