

Laser technology aids CO₂ storage capabilities

23 December 2014, by Linda Morton



NETL researchers Christian Goueguel (left) and Cantwell Carson align and operate NETL's laser induced breakdown spectroscopy (LIBS) equipment in a lab experiment.

DOE's National Energy Technology Laboratory is attracting private industry attention and winning innovation awards for harnessing the power of lasers to monitor the safe and permanent underground storage of CO₂ resulting from fossil fuel combustion in power plants.

Carbon dioxide is a [greenhouse gas](#) and byproduct of burning coal, oil, and natural gas. There are increasing calls to isolate CO₂ from the atmosphere to reduce its impact on [global climate change](#). Once captured from a power plant, the CO₂ can be piped into underground geologic formations for permanent storage. NETL experts are developing a technique, laser induced breakdown spectroscopy (LIBS), that can be used to validate that a storage site is not emitting CO₂, or provide early detection of leaks when they do occur. Early leak detection will enable site operators to implement a faster mitigation response to stop the leak.

This innovative laser technology is ideal for this application because it can analyze solids, liquids, and gases quickly from a distance at little expense.

Other lab-based monitoring techniques require samples to be brought in from the field, delaying analysis and exposing them to temperature and pressure conditions that could alter their chemistry.

The laser in this process emits pulses about five to 10 nanoseconds long. The laser pulses are focused onto a sample, creating a plasma of ions. Atoms in the plasma are excited and then relax, resulting in a spectral emission—a unique fingerprint of light. A fiber optic system delivers the spectral emission to an offsite spectrometer that is used to measure properties of the light and identify the materials it came from. As a result, LIBS can let researchers know within minutes if CO₂ is leaking from a storage area by providing spectral data from the site for analysis.

The innovation has received the URS Pyramid Award and the 2013 Third Annual Energy and Innovation Conference Game Changer Award in recognition of its potential for CO₂ monitoring. In addition, NETL recently received a [patent](#) for "downhole laser sensing technology" that can be used at well sites to detect significant changes in ion concentration in groundwater over the course of CO₂ injection or other activities such as hydrofracturing. Dustin McIntyre, NETL researcher and developer of LIBS, said several outside organizations have contacted NETL regarding licensing the technology.

Provided by Oak Ridge National Laboratory

APA citation: Laser technology aids CO2 storage capabilities (2014, December 23) retrieved 17 June 2019 from <https://phys.org/news/2014-12-laser-technology-aids-co2-storage.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.