





# Kitchen sponge supercapacitor has many porous benefits

February 6 2015, by Lisa Zyga



(Top left) The specific capacitances of several electrode materials. (Top right) Schematic diagram of ion transportation in a supercapacitor with and without the sponge. (Bottom left) Graph of the voltage and charge/discharge rates for single and tandem supercapacitors. (Bottom right) A three-unit cell is used to power a red LED. Credit: Moussa, et al. ©2015 IOP Publishing


By dipping small pieces of an ordinary kitchen sponge into solutions of nanoscale electrode materials, scientists have created a light-weight, low-cost supercapacitor that benefits from the sponge's porous structure. The pores provide a large surface area for the electrode materials to attach to, leading to an increase in ion movement between the electrodes and the electrolyte that fills in the pores. Overall, the new supercapacitor exhibits a performance that is superior to that of one made of the same electrode materials but without the sponge.

The researchers, led by Jun Ma at the University of South Australia, have published their paper on the kitchen sponge supercapacitors in a recent issue of *Nanotechnology*.

Although this is not the first time that sponges have been used to make supercapacitors, the idea is still new and not widely used. The study is the first to use sponges as the substrate for a composite of two particular [electrode materials](#): 2-nm-thick graphene platelets, and nanorods made from the conducting polymer polyaniline (PANi). Each material has its own advantages and disadvantages, but when combined they offer the best of both worlds due to their synergetic effects. While the graphene platelets offer high power density but low capacity, the PANi nanorods offer a much higher capacity but suffer from a lower electrical conductivity and other drawbacks.

When combined, the two materials help to "correct" each other's weakness, in a sense. The graphene platelets consist of multiple layers, but usually not all of them are accessible to the [electrolyte](#), which limits capacitance. When PANi nanorods are grown on the surface of the graphene platelets, they act as nanopacers to enlarge the interlayer distance between the platelets to make full use of their storage ability. On the other hand, the highly conductive graphene [platelets](#) improve the conductivity of the nanorods by wedging open the PANi fibers to provide more interface with the electrolyte.

"This work reports a novel design for the fabrication of [supercapacitor](#) electrodes by taking advantage of the synergy between cost-effective graphene plates, conducting polymers, and kitchen sponge electrodes, resulting in not only excellent capacitance and decent power and energy density, but high capacity retention over 12,000 cycles," Ma told *Phys.org*.



Scanning electron microscope images of (a) a pure sponge, (b) sponge with graphene nanoplatelets, and (c) sponge with graphene nanoplatelets and PANi. Credit: Moussa, et al. ©2015 IOP Publishing

To demonstrate its performance, the researchers connected three of the supercapacitors to power a red LED for five minutes. They hope that this easily fabricated device could have applications where light-weight, low-cost energy storage devices are needed.

"The electrodes developed are flexible and have high performance, so they have many potential applications, especially for bendable, wearable, and portable electronics," Ma said.

**More information:** Mahmoud Moussa, et al. "High-performance supercapacitors using graphene/polyaniline composites deposited on kitchen sponge." *Nanotechnology*. DOI: [10.1088/0957-4484/26/7/075702](https://doi.org/10.1088/0957-4484/26/7/075702)

© 2015 Phys.org

Citation: Kitchen sponge supercapacitor has many porous benefits (2015, February 6) retrieved 22 September 2024 from <https://phys.org/news/2015-02-kitchen-sponge-supercapacitor-porous-benefits.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--