

The devil's helmet for a legendary tiger moth

16 March 2015



The Menetries' tiger moth comes from the Arkhangelsk Region in Northern European Russia. Credit: Dr. Ivan Bolotov

The Menetries's tiger moth (*Borearctia menetriesii*) is the most rare and enigmatic representative among the Palearctic Arctiinae. During an expedition in almost inaccessible wild taiga area of Eastern Siberia, Russian scientists had the luck to encounter it. During their studies they also recorded feeding larva of this mysterious species on a native devil's helmet host plant for the first time. The study was published in the open access journal *Nota Lepidopterologica*.

The Menetries's tiger moth (*Borearctia menetriesii*) is the most rare and enigmatic representative among the Palearctic Arctiinae. Only single specimens were found in the majority of known localities, and sometimes the records are separated from each other by many decades. For example, there are four records in Finland dating between 1913 and 1943. The moth has not been observed there since 1943 and seemed to be locally extinct, until it was rediscovered in 2003.

Among the entomologists and amateurs, only lucky ones have a chance to meet this wonderful species in its natural environment, but usually this

chance comes only once in a lifetime. There are only four people in the World that were happy to twice catch the Menetries's moth, namely Alexey Kurentzov (in 1951 and 1955), Yury Korshunov (in 1964 and 1966) and Andrey Sviridov & Vladimir Murzin (in 1977 and 1979), all of them are the famous Russian lepidopterologists.

The biology of this large and colorful moth is poorly known because of its extremely low abundance throughout its distribution range. During the expedition in almost inaccessible wild taiga area of Eastern Siberia, Russian scientists have recorded feeding larva of this mysterious species on a native [host plant](#) for the first time. The study was published in the open access journal *Nota Lepidopterologica*.

The host plant was the red aconite (*Aconitum rubicundum*). The various aconite taxa (*Aconitum* spp.), also known as devil's helmet, wolfsbane, etc., are strongly poisonous for insects because of the high alkaloid content. There are only 18 Lepidoptera species listed as aconite feeders.



Last instar larva of the Menetries's tiger moth on the red aconite, Eastern Siberia. Credit: Dr. Oleg Berlov



Red aconite, a native host plant of the Menetries' tiger moth in Eastern Siberia. Credit: Dr. Oleg Berlov

The red aconite is a close relative or even subspecies of the northern aconite (*Aconitum lycoctonum*), which is widespread across Eurasia, but has scattered distribution in Fennoscandia. The majority of moth localities are situated within the distribution range of the northern aconite and other related taxa, which are diverse and widespread in the Eastern Palearctic. However, only two of the six westernmost *Borearctia menetriesii* localities in Finland are in accordance with sporadic records of the northern aconite.

Our record confirms that the Menetries's tiger moth is a polyphagous species like most other boreal Arctiinae. In contrast, aconite species might play an important role for this [species](#) as suitable source of alkaloids, which could be necessary for the protection of overwintering larvae against fungal and bacterial diseases.

More information: Bolotov I, E. Berlov O (2015) Record of *Borearctia menetriesii* (Eversmann, 1846) (Lepidoptera, Erebidae, Arctiinae) larva on *Aconitum rubicundum* Fischer (Ranunculaceae) in Eastern Siberia. *Nota Lepidopterologica* 38(1): 23-27. [DOI: 10.3897/nl.38.8664](https://doi.org/10.3897/nl.38.8664)

Provided by Pensoft Publishers

APA citation: The devil's helmet for a legendary tiger moth (2015, March 16) retrieved 8 December 2021 from <https://phys.org/news/2015-03-devil-helmet-legendary-tiger-moth.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.