

A case of mistaken identity for Australia's extinct big bird

14 January 2016, by Trevor Worthy



[Genyornis shells](#) were common 300,000 to 100,000 years ago.

But simultaneously, across the breadth of Australia, *Genyornis* shell suddenly disappeared from the record between 50,000 and 45,000 years ago, while emu shell persisted in the record to the present.

An artist's reconstruction of what the giant bird *Dromornis* would look like. *Genyornis* would be similar but slightly smaller. Credit: Peter Trusler, Author provided

Australia is renowned for once being home to a group of gigantic birds known as the mihirungs. These birds are distantly related to waterfowl and included the impressive [Dromornis stirtoni](#), the largest bird ever known on the planet at about 450kg in weight.

They were around about eight million years ago and the last surviving relative lived into the last 100,000 years in what is termed the [Pleistocene](#). This was [Genyornis newtoni](#), and at 250kg it was still a massive bird, some six times the weight of an emu. It is listed among the megafauna that went extinct after human arrival.

Fossil eggshell has been found eroding from [sand dunes](#) in widespread localities across Australia. And in the early 1980s, one particular kind – about as thick as that of emu – was noticed to differ from that of emu. It was believed to be *Genyornis* [shell](#).

Thereafter, *Genyornis* shell became the subject of extensive research by US geologist Professor [Gifford Miller](#) and his colleagues. In a series of [influential papers](#), they showed [both emu and](#)




An artist's impression of *Genyornis newtoni*. Credit: Anne Musser, Australian Museum

The extinction of *Genyornis* became the most well-dated megafaunal extinction in Australia, and one of the best dated in the world.

Size matters

But the discovery of egg shell from a single egg that was expertly reconstructed by Natalie Schroeder in the South Australian Museum hinted at a problem in this story.

What was thought to be a *Genyornis* egg actually measures only 126mm by 97mm, about the same size as an emu egg. It is thus three to four times smaller than would be predicted for the bird *Genyornis*. Even the smallest moa lays a larger egg, and the similar-sized giant moa, *Dinornis robustus*, laid eggs hugely larger (240mm by 178mm).



The image shows two eggs, with the new fossil of the kind until now thought to be from *Genyornis* beside an emu egg. It also shows the leg bones (femora) of a *Genyornis* compared to that of an emu. The huge disparity in size of the femora reflects the much larger size of the *Genyornis* bird compared to an emu. Therefore the egg, which until now has been attributed to *Genyornis*, which is only of similar volume to that of an emu, is far smaller than expected. Credit: Trevor H Worthy and Warren Handley, Author provided

Our team examined the structure of the so-called *Genyornis* eggshell and compared it to a range of other fowl, as well as fossil eggshell millions of years old that had to derive from other mihirung

species.

In a paper, published this month in [Quaternary Science Reviews](#), we show that the putative *Genyornis* shell differs markedly from older Mihirung shell and was similar to that of land fowl known as [megapodes](#).

Megapodes are a unique group of birds that all employ external heat to incubate their eggs. They are called mound-builders, as many species build mounds, some of them very large, measuring more than ten metres wide and three-to-five metres high. In these, composting vegetation provides the heat to incubate the eggs (ectothermic incubation). Others megapodes use warm soil in volcanic landscapes or warm sands in sand dunes.

In Australia, the brush turkey (above) is well known in eastern regions for its nuisance value in gardens. In the more arid interior, the malleefowl is another member of this group. Both are among Australia's largest birds at between two and two-and-a-half kilograms in weight.



A typical brush turkey on its mound. Credit: Flickr/Doug Beckers, CC BY-SA

But both are small compared to some little known extinct forms. There are two named species in the genus *Progura* that probably reach five-to-six kilograms.

Australia's *Progura* species lacked the specialised

digging adaptation of the smaller megapodes, but they still had to achieve ectothermic incubation – and what better place for this than the extensive sand dunes across much of the country.

Not the extinct big bird we thought it was

We believe the eggshell long attributed to *Genyornis* is, in fact, the missing shell from these extinct giant megapodes. This neatly explains why shell is very abundant in sand dunes.

The implications of this new identity for the [egg shell](#) are huge. The most well-known extinction event in Australia is no longer the case. All such inferences on the extinction of the megafaunal mihirung bird now apply to giant (but not really megafaunal) megapodes.

Genyornis bones are rare in the fossil record, except in two sites ([Lake Callabonna](#), in northern South Australia, and [Cuddie Springs](#) in central northern New South Wales) and when and why it went extinct is now the new problem to address.

The relatively large eggs of megapodes and the fact that they buried their eggs has meant that across their entire former distribution (Melanesia, Polynesia and Australia), many species became extinct due to hunting and egg harvesting.

That the largest megapodes known should have gone extinct relatively quickly after human arrival is not unexpected. Just how many did is being addressed by ongoing research, as several new species have been detected by researchers in our group at Flinders University. It seems we lost a whole radiation of these giant birds.

This article was originally published on [The Conversation](#). Read the [original article](#).

Source: The Conversation

APA citation: A case of mistaken identity for Australia's extinct big bird (2016, January 14) retrieved 16 September 2019 from <https://phys.org/news/2016-01-case-mistaken-identity-australia-extinct.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.