

# Thermal properties of graphene could help increase the storage capacity of magnetic memory

2 June 2016



Two-dimensional materials could be incorporated in hard drives to improve performance. Credit: Stanley K Patz/Photodisc/Getty

Heat flow in atomically thin materials is strongly directional and now research from A\*STAR indicates that this property could be employed to improve the performance of computer hard drives.

Hard drives store data by using magnetic fields to change the properties of a small section of a magnetically sensitive material. Decreasing the size of this section increases the drive's capacity but also increases the size of the magnetic field required for switching. Furthermore, the minimum size of the magnetic field is limited by an effect known as superparamagnetism, in which the magnetic properties at the nanometer-scale can spontaneously change, losing any stored information.

One approach to circumvent these problems is heat-assisted magnetic recording (HAMR). This method uses a laser beam to heat the storage medium to a temperature at which the [magnetic field](#) strength required for writing is lower and superparamagnetism is less prevalent.

A drawback of HAMR is that the heating can also damage the protective overcoat layer that surrounds the magnetic film. This coating should be as thin as possible to allow the magnetic writing head to get close to the film, but thinner layers are more susceptible to temperature changes.

As a possible solution, Shengkai Yu and his colleagues Peng Yu and Weidong Zhou from the A\*STAR Data Storage Institute theoretically investigated the thermal performance of graphene; the world's thinnest material.

The researchers studied the [heat flow](#) induced by red laser light at different depths in a multilayer HAMR device made of graphene—0.335 nanometers thick—on 12 nanometers of iron platinum, a magnetic material that naturally forms into nanoscale grains. Beneath these materials, their model included layers of titanium nitride, chromium ruthenium and tantalum all on a glass substrate.

"Our simulation studies show that the graphene overcoat lowers the temperature increase in the multilayered structure—compared to diamond-like carbon, which is a more commonly used overcoat material. This is not good for HAMR applications because it means more laser power is needed to heat the media," says Yu. "However, the resistance between the graphene overcoat layer and the layer beneath may increase the temperature between the layers, but the thermal conductivity of the graphene can reduce the local temperature rise in the overcoat layer and thus avoid overheating."

The next step for the team is to study the benefits of graphene for other magnetic memory materials.

**More information:** Peng Yu et al. Evaluation of thermal performance of graphene overcoat on multi-

layered structure subject to laser heating,  
*International Communications in Heat and Mass  
Transfer* (2015). DOI:  
[10.1016/j.icheatmasstransfer.2015.08.005](https://doi.org/10.1016/j.icheatmasstransfer.2015.08.005)

Provided by Agency for Science, Technology and  
Research (A\*STAR), Singapore  
APA citation: Thermal properties of graphene could help increase the storage capacity of magnetic  
memory (2016, June 2) retrieved 20 January 2021 from [https://phys.org/news/2016-06-thermal-  
properties-graphene-storage-capacity.html](https://phys.org/news/2016-06-thermal-properties-graphene-storage-capacity.html)

*This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.*