

Pesticides used to help bees may actually harm them

August 8 2016



In general, honeybee health has been declining since the 1980s, with the introduction of new pathogens and pests. Credit: Rob Flynn.

Pesticides beekeepers are using to improve honeybee health may actually be harming the bees by damaging the bacteria communities in their guts,

according to a team led by a Virginia Tech scientist.

The discovery, published in the journal *Frontiers in Microbiology*, is a concern because alterations can affect the gut's ability to metabolize sugars and peptides, processes that are vital for honeybee health. Beekeepers typically apply pesticides to hives to rid them of harmful parasites such as Varroa mites.

"Although helpful for ridding hives of parasites and pathogens, the chemicals in beekeeper-applied pesticides can be harmful to the bees," said Mark Williams, an associate professor of horticulture in the College of Agriculture and Life Sciences and lead author. "Our research suggests that pesticides could specifically impact the microbes that are crucial to honey bee nutrition and health."

For the project, the team extracted genomic data from honeybees that lived in hives that were treated with pesticides (three different kinds) with those that were not. Samples were pulled from hives in three separate Blacksburg locations.

Honeybees from chlorothalanil-treated [hives](#) showed the greatest change in gut microbiome, said Williams, who is also affiliated with the Fralin Life Science Institute.

Looking ahead, the team plans to investigate the specific changes in gut microbiota activities that affect honeybee survival. Honeybees are the foundation of successful high-value food production.

"Our team wants to better describe the core microbiota using bioinformatics to help best characterize the microbes that support healthy honeybees and thus stave off disease naturally," said co-author Richard Rodrigues, a postdoctoral researcher at Oregon State University and formerly a graduate student in Williams' lab.

Other authors include Troy Anderson, a former assistant professor of entomology at Virginia Tech; Madhavi Kakumanu, a postdoctoral scientist at North Carolina State University and former Virginia Tech graduate student in Williams' lab; and Alison Reeves, a former [graduate student](#) in Anderson's lab.

In Virginia, the approximate rate of hive loss is more than 30 percent per year, and continued losses are expected to drive up the cost for important crops that bees make possible, such as apples, melon and squash.

More information: Honey bee gut microbiome is altered by in-hive pesticide exposures, [DOI: 10.3389/fmicb.2016.01255](https://doi.org/10.3389/fmicb.2016.01255) , journal.frontiersin.org/article/10.3389/fmicb.2016.01255/abstract

Provided by Virginia Tech

Citation: Pesticides used to help bees may actually harm them (2016, August 8) retrieved 22 September 2024 from <https://phys.org/news/2016-08-pesticides-bees.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.