


Physicists develop a more sensitive microscope

27 September 2016, by Taylor Kubota



Stanford graduate student Brannon Klopfer helped develop the multi-pass microscope described in the current edition of "Nature Communications." Credit: Thomas Juffmann

Anyone who has taken a photo in a poorly lit restaurant or dim concert venue knows all too well the grainy, fuzzy outcomes of low-light imaging. Scientists trying to take images of biological specimens encounter the same issue because they tend to work in low light to avoid damaging delicate samples. The resulting grainy images can

make it hard to distinguish the intricate proteins and internal structures they are trying to study.

The effect that causes grainy images of either your meal or a biological sample is called shot noise. Stanford researchers may have come up with an elegant solution to this problem, which they refer to as "multi-pass microscopy." This technique, detailed in a Sept. 27 paper in Nature Communications, could make it possible to view proteins and living cells in greater clarity than ever before.

"If you work at low-light intensities, shot noise limits the maximum amount of information you can get from your image," said Thomas Juffmann, co-author of the research and a postdoctoral research fellow in Stanford Professor Mark Kasevich's research group. "But there's a way around that; the shot-noise limit is not fundamental."

Recycled photons

In [optical microscopy](#), individual units of light, called photons, strike a detector to make the image. The researchers have found they get better results if each photon interacts with the sample multiple times, even in low light. To implement this in a microscope, instead of sending light through a specimen and then directly capturing the resulting image, the Stanford team repeatedly reflects the image back onto the specimen.

"In a sense, it's like you're taking a picture of multiple times your object," said co-author Brannon Klopfer, a graduate student in the Kasevich group. "You first take an image of the specimen, you then illuminate it with an image of itself, and the image you get, you again send back to illuminate the sample. This leads to contrast enhancement."

Multi-pass microscopy is not the only approach to overcoming the shot-noise limit. Another method, called quantum microscopy, uses [entangled](#)

[photons](#) to achieve the same result, but it is more challenging to carry out.

Entangled photons are photons that show quantum correlations. This means that performing an action on one of two entangled photons can have an effect on the other one, even if they are far apart from each other. It is what Albert Einstein referred to as "spooky action at a distance."

Provided by Stanford University

The ability of entangled photons to give information about each other means that quantum microscopy can produce higher-quality images compared to standard microscopy. At present, multi-pass microscopy has the potential to create comparably enhanced results with the added benefit of requiring less arduous preparation than quantum microscopy.

"The advantage you gain when entangling two photons is what we gain when we go through the sample twice," Juffmann said. "Currently, it is technologically easier to make a photon pass through a sample 10 times than to create a state in which 10 photons are entangled with each other."

A general technique

Multi-pass microscopy could boost more than just low-light imaging because it acts as a general signal-enhancing technique. The method can increase the sensitivity of various microscopy techniques, so long as a source of image noise doesn't build up with the recycling of photons.

"While multi-passing builds up the signal in your image, the noise is hardly affected," Klopfer said.

At present, multi-passing is restricted to optical microscopes. But the team at Stanford is also working on multi-pass electron microscopy, where damage prevents the atomic-scale imaging of single proteins or DNA. Recycling the electrons in electron microscopy would improve image quality just as the recycling of photons does in the optical microscopes.

More information: Thomas Juffmann et al. Multi-pass microscopy, *Nature Communications* (2016). [DOI: 10.1038/ncomms12858](https://doi.org/10.1038/ncomms12858)

APA citation: Physicists develop a more sensitive microscope (2016, September 27) retrieved 19 January 2021 from <https://phys.org/news/2016-09-physicists-sensitive-microscope.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.