


Amorphous diamond synthesized

31 August 2017



Atomic structure of diamond (left) compared with amorphous diamond (right). Diamond is crystalline and anisotropic, meaning that its properties are directional. The single crystalline diamond shown in the left picture contains lots of facets. In contrast, amorphous diamond is isotropic like glass, and it may be cut to any shape including an ideal sphere. Credit: Zhidan "Denise" Zeng

A team of Carnegie high-pressure physicists have created a form of carbon that's hard as diamond, but amorphous, meaning it lacks the large-scale structural repetition of a diamond's crystalline structure. Their findings are reported in *Nature Communications*.

Carbon is an element of seemingly infinite possibilities, because the configuration of its electrons allows for numerous self-bonding combinations that give rise to a range of materials with varying properties.

For example, some forms of carbon, such as coal, are what's called amorphous, meaning that they lack the long-range repetitive structure that makes up a crystal.

Other forms of carbon are crystalline, including both transparent, superhard [diamonds](#), and soft, opaque graphite. They have different properties, in part, because the carbon atoms that comprise

them are bonded in different configurations.

Diamonds have a bonding structure that's called sp^3 and the carbon in graphite is held together with what's called sp^2 bonds.

Changes to the configuration of the [carbon bonds](#) that shape any of these substances can be induced by altering external conditions, such as temperature and pressure, similar to how water freezes into ice or boils into steam.

The Carnegie team—including lead author Zhidan "Denise" Zeng, as well as Liuxiang Yang, Qiaoshi Zeng, Yue Meng, Wenge Yang, and Ho-kwang "Dave" Mao—used extreme pressures to discover their new form of amorphous diamond.

Other similar elements to carbon—germanium and silicon—have forms that are comprised entirely of extremely strong sp^3 bonds and yet amorphous. But until now, a similar phase of carbon had never been synthesized.

The team was able to create amorphous diamond by bringing a structurally disordered form of carbon called glassy carbon up to nearly 500,000 times normal atmospheric pressure (50 gigapascals) and about 2,780 degrees Fahrenheit (1,800 degrees kelvin). This is a temperature and pressure range than has not been explored in the efforts to create amorphous diamond.

The sample they created retained its structural change and incompressibility once it was returned to ambient temperature and [pressure](#). What's more, sophisticated spectroscopy tools demonstrated that their new material features sp^3 [carbon](#) bonds, despite being amorphous and lacking the order of a crystal.

"Our amorphous diamond is dense, transparent, super-strong and potentially superhard with more incredible properties yet to be discovered," Zeng explained.

The next steps for researching this amorphous

diamond's properties will be measuring its hardness, strength, optical properties, and thermal stability.

Provided by Carnegie Institution for Science

APA citation: Amorphous diamond synthesized (2017, August 31) retrieved 26 June 2019 from <https://phys.org/news/2017-08-amorphous-diamond.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.