


# UV-irradiated amorphous ice behaves like liquid at low temperatures

September 29 2017

---



UV-irradiated amorphous water ice observed by a transmission electron microscope as the temperature rose (25K/-248C/-414F, 70K/-203C/-333F, 96K/-177C/-287F, 120K/-153C/-243F). Amorphous water ice islands (the dark areas in the photos) change shape and spread over the substrate like liquid, which is indicated by the blurring of the images. Scale bars=0.5 micrometers. (Tachibana S., et al., *Science Advances*, September 30, 2017) Credit: Tachibana S., et al., *Science Advances*, September 30, 2017

Ice analogs mimicking interstellar ice behave like liquids at temperatures between  $-210^{\circ}\text{C}$  and  $-120^{\circ}\text{C}$  according to Hokkaido University researchers. This liquid-like ice may enhance the formation of organic compounds including prebiotic molecules and the accretion of dust to form planets.

Molecular bonds in the ice are severed when irradiated by ultraviolet light inside interstellar molecular clouds, facilitating the formation of complex organic substances including prebiotic [molecules](#). Thus, scientists believe interstellar ice to be "cradles" of [organic compounds](#), but little has previously been known about the ice itself.

The team led by Associate Professor Shogo Tachibana of Hokkaido University discovered that ultraviolet-irradiated amorphous ice which mimics interstellar ice exhibited liquid-like behavior at extremely low [temperature](#) ranges. This finding should help unravel the mechanisms behind the formation of prebiotic molecules as well as the process that gives birth to planets.

The team sprayed a mixed gas of [water](#), methanol and ammonia onto a substrate which was chilled to  $-263\text{C}/-441\text{F}$  to  $-258\text{C}/-432\text{F}$  and simultaneously irradiated with ultraviolet light. After the ice formed, the researchers turned off the freezer to observe the ice with a microscope as the temperature rose. To their surprise, the ice bubbled like boiling water at temperatures between  $-210\text{C}/-346\text{F}$  and  $-120\text{C}/-184\text{F}$ . Analysis of the gas showed it to be hydrogen molecules, which the researchers believe were formed from methanol and ammonia broken up by UV irradiation. The bubbling shows that the ice was behaving like a liquid, with a viscosity estimated to be similar to that of firm honey.

They then examined pure water. Islands of amorphous water ice were

created on a substrate by irradiating crystalline ice with [ultraviolet light](#) at -263C/-441F. They observed the islands as the temperature was raised or at a fixed temperature of -213C/-351F. The researchers witnessed the islands of amorphous ice changing shape and spreading over the substrate, which is also a sign of ice behaving like a liquid. The estimated viscosity of this ice was similar to that of silicic magma. This result implies this liquid-like state is common in ice consisting of water.

These experiments suggest that real interstellar ice might behave like a liquid, enhancing the formation of organic compounds, including prebiotic molecules. Tachibana says, "The formation of organic molecules, including [prebiotic](#) ones, may efficiently occur in a very cold environment".

"The liquid-like ice may help dust accrete to planets because liquid may act as a glue. However, further experiments are needed to understand the material properties of the liquid-like ice " he added.

**More information:** S. Tachibana et al., "Liquid-like behavior of UV-irradiated interstellar ice analog at low temperatures," *Science Advances* (2017). [DOI: 10.1126/sciadv.aao2538](https://doi.org/10.1126/sciadv.aao2538) , [advances.sciencemag.org/content/3/9/eaao2538](https://advances.sciencemag.org/content/3/9/eaao2538)

Provided by Hokkaido University

Citation: UV-irradiated amorphous ice behaves like liquid at low temperatures (2017, September 29) retrieved 23 April 2024 from <https://phys.org/news/2017-09-uv-irradiated-amorphous-ice-liquid-temperatures.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.