

# Belowground fungal interactions with trees help explain non-native plant invasions

December 1 2017

---



Mycorrhizal fungi are a type of fungi that help trees feed on minerals in the soil and, in turn, feed off sugars in tree roots. New research by a US Forest Service scientist and partners suggests that the type of mycorrhizal fungi dominant in a forest influences vulnerability to non-native plant invasion. Credit: Melanie Taylor, U.S. Forest Service

New research published by a team of scientists from the USDA Forest Service and Purdue University suggests that tiny soil fungi that help and are helped by trees may influence a forest's vulnerability to invasion by non-native plants.

Research published Dec. 1 in the online edition of the journal *Ecology Letters* suggests that the invasion of nonnative [plants](#) is strongly related to what type of [mycorrhizal fungi](#) are dominant in forest ecosystems. Mycorrhizal fungi are a type of fungi that help trees feed on minerals in the soil and, in turn, feed off sugars in tree roots.

Lead author Insu Jo of Purdue University and his co-authors, including Grant Domke, a research forester with the Forest Service's Northern Research Station, explored how dominant forest tree mycorrhizal type affects understory [plant invasions](#). Researchers found that arbuscular mycorrhizal (AM) tree-dominant forests are more vulnerable to nonnative plant invasions than ectomycorrhizal (ECM) tree-dominant forests, likely because nutrients in the soil are consumed and recycled back into the soil more frequently in AM- dominant -forests, creating more nutrition for [trees](#). Understory plant cover for both native and nonnative invasive species was positively associated with the AM fungi, however, [invasive species](#) cover increased at a rate 12 times greater than native species as AM-tree-dominance increased.

The study, "Dominant forest tree mycorrhizal type mediates understory

plant invasions," is available at: <https://www.nrs.fs.fed.us/pubs/55479>

The study is based on data collected by the USDA Forest Service's Forest Inventory and Analysis (FIA) Program, often referred to as "the Nation's tree census." Forest Inventory and Analysis has collected forest data for nearly 80 years; crews began consistently measuring litter and soil attributes on permanent sample plots across all forest land and ownerships as part of the FIA Program in 2001.

"Forest Inventory and Analysis data is helping to address pressing ecological questions throughout the nation and world," said Tony Ferguson, Director of the Northern Research Station and Forest Products Laboratory. "We make the investment in forest data an even greater asset through partnerships that are resulting in knowledge and tools that are relevant to a broad audience."

This work helps explain the establishment and spread of invasive plants in forests according to Domke. "Invasive species are a serious threat to forests in the U.S.," he said. "This research will help land managers better understand the conditions in which invasive plant species exist and which [forest](#) types are at risk of understory plant [invasion](#)."

Provided by USDA Forest Service

Citation: Belowground fungal interactions with trees help explain non-native plant invasions (2017, December 1) retrieved 20 September 2024 from <https://phys.org/news/2017-12-belowground-fungal-interactions-trees-non-native.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.