


Engineers develop smart material that changes stiffness when twisted or bent

14 February 2018



Examples of the new smart material, left to right: A flexible strip; a flexible strip that stiffened when twisted; a flexible strip transformed into a hard composite that can hold up a weight. Credit: Christopher Gannon/Iowa State University

A new smart and responsive material can stiffen up like a worked-out muscle, say the Iowa State University engineers who developed it.

Stress a muscle and it gets stronger. Mechanically stress the rubbery material - say with a twist or a bend - and the material automatically stiffens by up to 300 percent, the engineers said. In lab tests, mechanical stresses transformed a flexible strip of the material into a hard composite that can support 50 times its own weight.

This new composite material doesn't need outside energy sources such as heat, light or electricity to change its properties. And it could be used in a variety of ways, including applications in medicine and industry.


The material is described in a paper recently published online by the scientific journal *Materials*

Horizons. The lead authors are Martin Thuo and Michael Bartlett, Iowa State assistant professors of [materials](#) science and engineering. First authors are Boyce Chang and Ravi Tutika, Iowa State doctoral students in materials science and engineering. Chang is also a student associate of the U.S. Department of Energy's Ames Laboratory.

Iowa State startup funds for Thuo and Bartlett supported development of the new material. Thuo's Black & Veatch faculty fellowship also helped support the project.

Development of the material combined Thuo's expertise in micro-sized, [liquid-metal](#) particles with Bartlett's expertise in soft materials such as rubbers, plastics and gels.

It's a powerful combination.



Iowa State engineers -- left to right, Boyce Chang, Martin Thuo, Michael Bartlett and Ravi Tutika -- helped develop and describe a new smart material. Here they examine an instrument used for mechanical testing of material properties. Credit: Christopher Gannon/Iowa State University

The researchers found a simple, low-cost way to produce particles of undercooled [metal](#) - that's metal that remains liquid even below its melting temperature. The tiny particles (they're just 1 to 20 millionths of a meter across) are created by exposing droplets of melted metal to oxygen, creating an oxidation layer that coats the droplets and stops the liquid metal from turning solid. They also found ways to mix the liquid-metal particles with a rubbery elastomer material without breaking the particles.

When this hybrid material is subject to [mechanical stresses](#) - pushing, twisting, bending, squeezing - the liquid-metal particles break open. The liquid metal flows out of the oxide shell, fuses together and solidifies.

"You can squeeze these particles just like a balloon," Thuo said. "When they pop, that's what makes the metal flow and solidify."

The result, Bartlett said, is a "metal mesh that forms inside the material."

Thuo and Bartlett said the popping point can be tuned to make the liquid metal flow after varying amounts of mechanical stress. Tuning could involve changing the metal used, changing the particle sizes or changing the soft material.

In this case, the liquid-metal [particles](#) contain Field's metal, an alloy of bismuth, indium and tin. But Thuo said other metals will work, too.

"The idea is that no matter what metal you can get to undercool, you'll get the same behavior," he said.

The engineers say the new material could be used in medicine to support delicate tissues or in industry to protect valuable sensors. There could also be uses in soft and bio-inspired robotics or reconfigurable and wearable electronics. The Iowa State University Research Foundation is working to patent the material and it is available for licensing.

"A device with this material can flex up to a certain amount of load," Bartlett said. "But if you continue stressing it, the elastomer will stiffen and stop or slow down these forces."

And that, the engineers say, is how they're putting some muscle in their new smart material.

More information: Boyce S. Chang et al, Mechanically triggered composite stiffness tuning through thermodynamic relaxation (ST3R), *Materials Horizons* (2018). [DOI: 10.1039/C8MH00032H](#)

Provided by Iowa State University

APA citation: Engineers develop smart material that changes stiffness when twisted or bent (2018, February 14) retrieved 14 October 2019 from <https://phys.org/news/2018-02-smart-material-stiffness-bent.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.