

# Are palaeontologists naming too many species?

March 14 2018

---



*Ichthyosaurus* life restoration. Credit: James McKa

A comprehensive new study looking at variations in *Ichthyosaurus*, a common British Jurassic *ichthyosaur* (sea-going reptile) also known as


'Sea Dragons', has provided important information into recognizing new fossil species.

Professor Judy Massare (SUNY College at Brockport, NY, USA) and Dean Lomax (The University of Manchester) have studied hundreds of specimens of *Ichthyosaurus*. After their latest research project the pair urge caution in naming new fossil [species](#) on the basis of just a few fragmentary or isolated remains.

For their research Prof Massare and Lomax focused on one particular part of the *Ichthyosaurus* skeleton, the hindfin (or back paddle). The purpose was to evaluate the different forms among the six-known species of *Ichthyosaurus*. They examined 99 specimens which could provide useful information.

Early in their research, they found different types of hindfin that initially appeared to represent different species. However, the more specimens they examined the more 'variation' they uncovered, such as differences in the size and number of bones. They determined that a single hindfin alone could not be used to distinguish among species of *Ichthyosaurus*, but that a particular variation was more common in certain species.

Lomax explains: "As we have such a large, complete sample size, which is relatively unique among such fossil vertebrates, our study can help illustrate the limitations that palaeontologists face when dealing with few or even just one specimen".



The arrow points to the hindfins. Specimen is in the collections of the Lower Saxony State Museum (Niedersächsisches Landesmuseum) Hanover, Germany. Credit: Lower Saxony State Museum

Their findings show that with only a few specimens, features can be found that differ substantially from one specimen to the next and thus appear as if there are several species. Whereas, in reality, with a much larger sample size the gaps in the 'unique' variations are filled in, showing that differences are simply the result of individual variation and a lack of the full picture.

Prof Massare said: "We described a few hindfins, which might have been called a [new species](#) if they were found in isolation. Instead, we had enough specimens to determine that it was just an extreme variation of a common form."

Palaeontologists fall into one of two camps when it comes to naming species, 'lumpers' and 'splitters'. The former 'lump' groups of similar specimens together, whereas the latter opt to split-up specimens and

distinguish new species. However, in this new study, if the team opted to split-up the specimens based on the variation found, it would suggest a huge number of species.

"If we considered the variation as unique, it would mean we would be naming about 30 new species. This would be similar to what was done in the 19th Century when any new fossil find, from a new location or horizon, was named as a new species if it differed slightly from previously known [specimens](#).

"As lots of new fossil species are named every year, in some cases, such as with fragmentary or limited remains, the decision to name a new species should be considered very carefully." Added Lomax.

The new study has been published today in the scientific journal *Geological Magazine*

**More information:** Dean R. Lomax et al, An ichthyosaur from the UK Triassic-Jurassic boundary: A second specimen of the leptonektid ichthyosaur *Wahlisaurus massarae* Lomax 2016, *Geological Journal* (2018). [DOI: 10.1002/gj.3155](https://doi.org/10.1002/gj.3155)

Provided by University of Manchester

Citation: Are palaeontologists naming too many species? (2018, March 14) retrieved 20 September 2024 from <https://phys.org/news/2018-03-palaeontologists-species.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.