


Potassium gives perovskite-based solar cells an efficiency boost

March 21 2018



Atomic scale view of the perovskite crystal structure forming ('self-assembling'). The potassium ions (in red) are decorating the surfaces of the structures to heal defects and immobilising the excess halides. Credit: Matt Klug

A simple potassium solution could boost the efficiency of next-generation solar cells, by enabling them to convert more sunlight into

electricity.

An international team of researchers led by the University of Cambridge found that the addition of [potassium iodide](#) 'healed' the defects and immobilised ion movement, which to date have limited the [efficiency](#) of cheap [perovskite solar cells](#). These next-generation solar cells could be used as an efficiency-boosting [layer](#) on top of existing [silicon-based solar cells](#), or be made into stand-alone solar cells or coloured LEDs. The results are reported in the journal *Nature*.

The solar cells in the study are based on metal halide perovskites - a promising group of ionic semiconductor materials that in just a few short years of development now rival commercial thin film photovoltaic technologies in terms of their efficiency in converting sunlight into electricity. Perovskites are cheap and easy to produce at low temperatures, which makes them attractive for next-generation solar cells and lighting.

Despite the potential of perovskites, some limitations have hampered their efficiency and consistency. Tiny defects in the crystalline structure of perovskites, called traps, can cause electrons to get 'stuck' before their energy can be harnessed. The easier that electrons can move around in a [solar cell material](#), the more efficient that material will be at converting photons, particles of light, into electricity. Another issue is that ions can move around in the solar cell when illuminated, which can cause a change in the bandgap - the colour of light the material absorbs.

"So far, we haven't been able to make these materials stable with the bandgap we need, so we've been trying to immobilise the ion movement by tweaking the chemical composition of the perovskite layers," said Dr Sam Stranks from Cambridge's Cavendish Laboratory, who led the research. "This would enable perovskites to be used as versatile solar cells or as coloured LEDs, which are essentially solar cells run in

reverse."

In the study, the researchers altered the chemical composition of the perovskite layers by adding potassium iodide to perovskite inks, which then self-assemble into thin films. The technique is compatible with roll-to-roll processes, which means it is scalable and inexpensive. The potassium iodide formed a 'decorative' layer on top of the perovskite which had the effect of 'healing' the traps so that the electrons could move more freely, as well as immobilising the ion movement, which makes the material more stable at the desired bandgap.

The researchers demonstrated promising performance with the perovskite bandgaps ideal for layering on top of a silicon solar cell or with another perovskite layer - so-called tandem solar cells. Silicon tandem solar cells are the most likely first widespread application of perovskites. By adding a perovskite layer, light can be more efficiently harvested from a wider range of the solar spectrum.

"Potassium stabilises the perovskite bandgaps we want for [tandem solar cells](#) and makes them more luminescent, which means more efficient solar cells," said Stranks, whose research is funded by the European Union and the European Research Council's Horizon 2020 Programme. "It almost entirely manages the ions and defects in perovskites."

"We've found that perovskites are very tolerant to additives - you can add new components and they'll perform better," said first author Mojtaba Abdi-Jalebi, a PhD candidate at the Cavendish Laboratory who is funded by Nava Technology Limited. "Unlike other photovoltaic technologies, we don't need to add an additional layer to improve performance, the additive is simply mixed in with the perovskite ink."

The perovskite and potassium devices showed good stability in tests, and were 21.5% efficient at converting light into electricity, which is similar

to the best perovskite-based solar cells and not far below the practical efficiency limit of silicon-based [solar cells](#), which is (29%). Tandem [cells](#) made of two [perovskite](#) layers with ideal bandgaps have a theoretical efficiency limit of 45% and a practical limit of 35% - both of which are higher than the current practical efficiency limits for silicon. "You get more power for your money," said Stranks.

More information: Mojtaba Abdi-Jalebi et al, Maximizing and stabilizing luminescence from halide perovskites with potassium passivation, *Nature* (2018). [DOI: 10.1038/nature25989](https://doi.org/10.1038/nature25989)

Provided by University of Cambridge

Citation: Potassium gives perovskite-based solar cells an efficiency boost (2018, March 21) retrieved 26 April 2024 from <https://phys.org/news/2018-03-potassium-perovskite-based-solar-cells-efficiency.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.