

# Tweets prove to be reliable indicator of air quality conditions during wildfires

26 July 2018



A new study by USDA Forest Service scientists suggests that what people in areas affected by wildfire tweet can be a reliable predictor of air quality. Photo shows the Thomas Fire on Los Padres National Forest near Ventura, Calif., in 2017. Credit: Forest Service Photo by Kari Greer

Tweets originating in California during the state's 2015 wildfire season suggest that social media can improve predictions of air quality impacts from smoke resulting from wildfires and have the potential to improve rescue and relief efforts, according to research by two USDA Forest Service scientists.

The study by Sonya Sachdeva of the Forest Service's Northern Research Station and Sarah McCaffrey of the Rocky Mountain Research Station, "Using Social Media to Predict Air Pollution during California Wildfires," was recently published by the International Conference on Social Media & Society.

Whether it is caused by wildfire or prescribed fire, smoke can have serious health ramifications, including aggravating respiratory and cardiovascular conditions. In a previous study,

Sachdeva looked at 700 tweets related to the King Fire in California and found that they were a reliable predictor of [air quality](#) related to that fire. In new research, Sachdeva and McCaffrey evaluated 39,000 tweets that included the names of the state's most destructive wildfires of the 2015 season.

"With wildfire seasons becoming longer and more people living in fire-prone areas, smoke is becoming a greater public health concern," Sachdeva said. "Models for predicting the extent and range of impact of smoke dispersion from wildfire events can be a critical tool in safeguarding public health, and we're finding that information people share in [social media](#) has great potential for improving those models."

Sachdeva and McCaffrey combined ground-based monitoring of fine particulate [air pollution](#) levels obtained from the Environmental Protection Agency (EPA) AirData air [quality](#) database with a topic model mapping the content of citizens' tweets. Tweets were geocoded so they could be associated with specific air quality monitoring stations. Tweets and air quality data were connected in time by using the date of the [tweet](#) and the daily fine particulate air pollution report by the EPA.

Twitter also offered insight into people's perspective on [wildfire](#). When people were near a fire, their tweets were often focused on the status of the firefighting effort, concern for firefighters, and the status of evacuation orders. Further away, people were interested in the cause of fire. The study suggested that social [media](#) could help predict air quality in remote areas that are not monitored for air quality, and that tweets could also have potential in linking people who need help with people who have the resources to offer assistance.

**More information:** Sonya Sachdeva et al, Using Social Media to Predict Air Pollution during

California Wildfires, *Proceedings of the 9th International Conference on Social Media and Society - SMSociety '18* (2018). DOI: [10.1145/3217804.3217946](https://doi.org/10.1145/3217804.3217946)

Provided by USDA Forest Service

APA citation: Tweets prove to be reliable indicator of air quality conditions during wildfires (2018, July 26) retrieved 23 September 2019 from <https://phys.org/news/2018-07-tweets-reliable-indicator-air-quality.html>

*This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.*