


Quantum systems: Same, but different

8 November 2018



The Atom Chip at TU Wien (Vienna). Credit: TU Wien

Remarkable rules have been detected in the apparent chaos of disequilibrium processes. Different systems behave identically in many ways, if they belong to the same "universality class." This means that experiments can be carried out with quantum systems that are easy to handle in order to obtain precise information about systems that cannot be directly studied in the experiment—such as the Big Bang.

Some phenomena are so complicated that it is impossible to precisely calculate them. This includes large [quantum systems](#), which consist of many particles, particularly when they are not in an equilibrium state, but changing rapidly. Such examples include the wild particle inferno that occurs in particle accelerators when large [atoms](#) collide, or conditions just after the Big Bang, when particles rapidly expanded and then cooled.


At TU Wien and Heidelberg University, remarkable rules have been detected in the apparent chaos of disequilibrium processes. This indicates that such processes can be divided into universality classes. Systems belonging to the same class behave identically in many ways. This means that experiments can be carried out with [quantum](#) systems that are easy to handle in order to obtain

precise information about other systems that cannot be directly studied in the experiment. These findings have since been published in the journal *Nature*.

Universal rules

"Universality classes are known from other areas of physics," says Prof. Jörg Schmiedmayer from the Institute of Atomic and Subatomic Physics at TU Wien. "When you study phase transitions, for example, materials very close to the melting point, you can describe certain properties using formulas that are very universal, such as the relationship between the specific heat and the temperature." The microscopic details of the melting process do not matter. Very different materials can obey the same simple equations.

"It is however entirely astounding that universality of this kind can also be found in quantum systems that are far removed from an equilibrium state," says Jörg Schmiedmayer. "At first glance, you wouldn't expect this: why should a quantum system made up of many particles that are changing extremely rapidly obey any universal laws?" Nevertheless, theoretical work from Jürgen Berges and Thomas Gasenzer's groups from Heidelberg University predicted exactly that. These notable predictions have now been verified twice at the same time—at TU Wien and in Heidelberg.



Closeup of the Atom Chip. Credit: TU Wien

The quick and the slow direction

The experiment in Prof. Schmiedmayer's group at the Vienna Center for Quantum Science and Technology (VCQ) at the Institute of Atomic and Subatomic Physics (TU Wien) is using a very special atom trap. On an atom chip, thousands of rubidium atoms can be trapped and cooled using electromagnetic fields. "In this process, we generate an atom cloud with a short and a long [direction](#), similar to a cigar," explains Sebastian Erne, the lead author of the study.

Initially, the atoms move in all directions at the same speed. The atom trap can, however, be opened in the short (transverse) directions, meaning that those atoms that are moving particularly fast in this direction fly away. This leaves behind only atoms that have a relatively low speed in the transverse directions.

"The speed distribution in one direction is changed so quickly that during this time, the speed distribution in the other direction, along the longer axis of the cigar, virtually does not change at all," says Sebastian Erne. "As a result, we produce a state that is far from the thermal equilibrium."

Collisions and interactions then lead to energy exchange between the atoms, which is referred to as thermalisation.

"Our experiment demonstrates that the course of this thermalisation follows a universal law and is not dependent on any details," says Jörg Schmiedmayer. "Regardless of how we started the thermalisation, the transition can always be described with the same formula."

It was a similar story for the research team from Heidelberg. There too, they started out with an elongated atom cloud. However, the Heidelberg team did not study the speed but the spin (the intrinsic angular momentum) of the particles. They first controlled the spin directions of the atoms and then observed how these directions change over time due to interactions between the atoms.

This change can be described using the same formulas as the one from the other experiment: "In our case, the physical situation is quite different from that of the TU Wien experiment, but the dynamics also obey universal scaling laws," explains Maximilian Prüfer (Heidelberg), first author of Heidelberg publication.

"We have found a process that also obeys the universality but belongs to a different universality class. This is great because it confirms our theories very convincingly and suggests that we really are on to something—a new, fundamental law," says Markus Oberthaler (also Heidelberg).

Learning from one system about others

Universality opens up the possibility to obtain important information on quantum systems that are usually inaccessible in a laboratory. "Nobody can recreate the Big Bang in a laboratory, but if we know the universality class to which it belongs, we can look at other quantum systems in the same class and indirectly investigate universal properties during the Big Bang," explains Schmiedmayer. "Better understanding the behaviour of many-particle quantum systems that are far from equilibrium is one of the most pressing issues in physics today. Even with the best supercomputers, there's no chance of precisely calculating these

events, and so our universality classes are a major opportunity to learn something new."

More information: Universal dynamics in an isolated one-dimensional Bose gas far from equilibrium, *Nature* (2018). [DOI: 10.1038/s41586-018-0667-0](https://doi.org/10.1038/s41586-018-0667-0) , www.nature.com/articles/s41586-018-0667-0

Provided by Vienna University of Technology

APA citation: Quantum systems: Same, but different (2018, November 8) retrieved 28 February 2021 from https://phys.org/news/2018-11-quantum_1.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.