


# E-bandage generates electricity, speeds wound healing in rats

December 19 2018

---



A wound covered by an electric bandage on a rat's skin (top left) healed faster than a wound under a control bandage (right). Credit: American Chemical Society

Skin has a remarkable ability to heal itself. But in some cases, wounds heal very slowly or not at all, putting a person at risk for chronic pain, infection and scarring. Now, researchers have developed a self-powered bandage that generates an electric field over an injury, dramatically reducing the healing time for skin wounds in rats. They report their results in *ACS Nano*.

Chronic [skin wounds](#) include diabetic foot ulcers, venous ulcers and non-healing surgical wounds. Doctors have tried various approaches to help chronic wounds heal, including bandaging, dressing, exposure to oxygen and growth-factor therapy, but they often show limited effectiveness. As early as the 1960s, researchers observed that [electrical stimulation](#) could help skin wounds heal. However, the equipment for generating the electric field is often large and may require patient hospitalization. Weibo Cai, Xudong Wang and colleagues wanted to develop a flexible, self-powered bandage that could convert skin movements into a therapeutic electric field.

To power their electric bandage, or e-bandage, the researchers made a wearable nanogenerator by overlapping sheets of polytetrafluoroethylene (PTFE), copper foil and polyethylene terephthalate (PET). The nanogenerator converted skin movements, which occur during normal activity or even breathing, into small electrical pulses. This current flowed to two working electrodes that were placed on either side of the skin wound to produce a weak electric field. The team tested the device by placing it over wounds on rats' backs. Wounds covered by e-bandages closed within 3 days, compared with 12 days for a control bandage with no electric field. The researchers attribute the faster wound healing to enhanced fibroblast migration, proliferation and differentiation induced by the [electric field](#).

**More information:** Yin Long et al. Effective Wound Healing Enabled by Discrete Alternative Electric Fields from Wearable Nanogenerators,

*ACS Nano* (2018). [DOI: 10.1021/acsnano.8b07038](https://doi.org/10.1021/acsnano.8b07038)

Provided by American Chemical Society

Citation: E-bandage generates electricity, speeds wound healing in rats (2018, December 19)  
retrieved 21 September 2024 from

<https://phys.org/news/2018-12-e-bandage-electricity-wound-rats.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.