


# New materials could 'drive wound healing' by harnessing natural healing methods

7 January 2019



Credit: CC0 Public Domain

Materials are widely used to help heal wounds: Collagen sponges help treat burns and pressure sores, and scaffold-like implants are used to repair bones. However, the process of tissue repair changes over time, so scientists are developing biomaterials that interact with tissues as healing takes place.

Now, Dr. Ben Almquist and his team at Imperial College London have created a new molecule that could change the way traditional materials work with the body. Known as traction force-activated payloads (TrAPs), their method lets materials talk to the body's natural repair systems to drive [healing](#).

The researchers say incorporating TrAPs into existing medical materials could revolutionise the way injuries are treated. Dr. Almquist, from Imperial's Department of Bioengineering, said:

"Our technology could help launch a new generation of materials that actively work with tissues to drive healing."

The findings are published today in *Advanced Materials*.

## Cellular call to action

After an injury, [cells](#) 'crawl' through the collagen 'scaffolds' found in wounds, like spiders navigating webs. As they move, they pull on the scaffold, which activates hidden healing proteins that begin to repair injured tissue.

The researchers designed TrAPs as a way to recreate this natural healing method. They folded the DNA segments into three-dimensional shapes known as aptamers that cling tightly to proteins. Then, they attached a customisable 'handle' that cells can grab onto on one end, before attaching the opposite end to a scaffold such as collagen.

During laboratory testing of their technique, they found that cells pulled on the TrAPs as they crawled through the collagen scaffolds. The pulling made the TrAPs unravel like shoelaces to reveal and activate the healing proteins. These proteins instruct the healing cells to grow and multiply.

The researchers also found that by changing the cellular 'handle', they can change which type of cell can grab hold and pull, letting them tailor TrAPs to release specific therapeutic proteins based on which cells are present at a given point in time. In doing so, the TrAPs produce materials that can smartly interact with the correct type of cell at the correct time during wound repair.

This is the first time scientists have activated healing proteins using different types of cells in man-made materials. The technique mimics healing methods found in nature. Dr. Almquist said: "Using cell movement to activate healing is found in

creatures ranging from sea sponges to humans. Our [1002/adma.201806380](#) approach mimics them and actively works with the different varieties of cells that arrive in our damaged tissue over time to promote healing."

Provided by Imperial College London

### From lab to humans

This approach is adaptable to different cell types, so could be used in a variety of injuries such as fractured bones, scar tissue after heart attacks, and damaged nerves. New techniques are also desperately needed for patients whose wounds won't heal despite current interventions, like diabetic foot ulcers, which are the leading cause of non-traumatic lower leg amputations.

TrAPs are relatively straightforward to create and are fully man-made, meaning they are easily recreated in different labs and can be scaled up to industrial quantities. Their adaptability also means they could help scientists create new methods for laboratory studies of diseases, stem cells, and [tissue](#) development.

Aptamers are currently used as drugs, meaning they are already proven safe and optimised for clinical use. Because TrAPs take advantage of aptamers that are currently optimised for use in humans, they may be able to take a shorter path to the clinic than methods that start from ground zero.

Dr. Almquist said: "The TrAP technology provides a flexible method to create [materials](#) that actively communicate with the wound and provide key instructions when and where they are needed. This sort of intelligent, dynamic healing is useful during every phase of the healing process, has the potential to increase the body's chance to recover, and has far-reaching uses on many different types of wounds. This technology has the potential to serve as a conductor of wound repair, orchestrating different cells over time to work together to heal damaged tissues."

**More information:** "Biologically Inspired, Cell-Selective Release of Aptamer-Trapped Growth Factors by Traction Forces" by Anna Stejskalová, Nuria Oliva, Frances J. England, and Benjamin D. Almquist, published 7th January 2019 in *Advanced Materials*: [onlinelibrary.wiley.com/doi/ab...](#)

APA citation: New materials could 'drive wound healing' by harnessing natural healing methods (2019, January 7) retrieved 19 September 2019 from <https://phys.org/news/2019-01-materials-wound-harnessing-natural-methods.html>

*This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.*