

# Plastic pollution causes mussels to lose grip

29 January 2019



Blue mussels. Credit: Dr Dannielle Green, Anglia Ruskin University

A new study shows that microplastics are affecting the ability of mussels to attach themselves to their surroundings—potentially having a devastating impact on ocean ecosystems as well as a worldwide industry worth between 3-4 billion US dollars per year.

The new research, published in the journal *Environmental Pollution*, was led by Dr. Dannielle Green of Anglia Ruskin University, and was carried out at the Portaferry Marine Laboratory in Northern Ireland.

The researchers found that [blue mussels](#) exposed to doses of non-biodegradable microplastics over a period of 52 days produced significantly fewer byssal threads, which are thin fibres that help [mussels](#) attach themselves to rocks and ropes.

As well as enabling mussels to survive waves and strong tides, and stay attached to their surroundings, these byssal threads also enable

them to form extensive reefs that provide important habitats for other marine animals and plants.

The study also found that the overall tenacity or attachment strength of mussels exposed to microplastics, calculated by measuring the maximal vertical force required for the mussel to become dislodged from its position, fell by 50% compared to a control sample of mussels that were not exposed to microplastics.

And in order to understand potential effects of microplastics on the health of the mussels, the researchers measured the proteins within the mussel's circulatory fluid or haemolymph, which performs a similar function to blood. This showed that microplastics induced a strong immune response and also affected the mussels' metabolism.

Dr. Green, a Senior Lecturer in Biology at Anglia Ruskin University, said: "Tenacity is vital for mussels to form and maintain reefs without being dislodged by hydrodynamic forces. Our study showed that the presence of non-biodegradable microplastics reduced the number of byssal threads produced by the mussels, which likely accounts for the 50% reduction in their attachment strength.

"Byssal threads help mussels to form aggregations, increasing fertilisation success and making mussels more resistant to predation. A reduction in these [byssal threads](#) in the wild could lead to cascading impacts on biodiversity as well as reducing yields from aquaculture, as mussels are more likely to be washed away by waves or strong tides.

"Our research also shows that even biodegradable microplastics can affect the health of mussels. Both biodegradable and non-biodegradable plastic are used in making single-use packaging, which if it becomes litter can break down into microplastics. Better recycling and an overall reduction of these materials can play an important role in helping to

safeguard our marine environment."

**More information:** Dannielle S. Green et al, Exposure to microplastics reduces attachment strength and alters the haemolymph proteome of blue mussels (*Mytilus edulis*), *Environmental Pollution* (2018). DOI: [10.1016/j.envpol.2018.12.017](https://doi.org/10.1016/j.envpol.2018.12.017)

Provided by Anglia Ruskin University

APA citation: Plastic pollution causes mussels to lose grip (2019, January 29) retrieved 12 April 2021 from <https://phys.org/news/2019-01-plastic-pollution-mussels.html>

*This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.*