


# Research using atom probe tomography reveals chinks in iron crystals that can 'heal'

February 4 2019

---



Using iron isotopes and atom probe tomography, or APT, scientists create the first 3D 'atomic maps' of the re-arrangement of different iron atoms in a small iron oxide crystal. Credit: PNNL

Like iron flowing through the blood stream, iron minerals course

through the ground. These minerals are used to make steel and other metal alloys used in everything from cell phone components and cars to buildings, industrial equipment and infrastructure.

Unfortunately, when exposed to oxygen and moisture, [iron](#) oxidizes—or rusts. And [rust](#) is relentless.

Knowing more about the [chemical reactions](#) that drive and sustain rust could hold clues for engineering-improved, iron-based materials. It could also lead to advances in fertilizers or soil conditioners that increase iron uptake for plant nutrition.

Scientists at the Department of Energy's Pacific Northwest National Laboratory report in the journal *PNAS* a breakthrough in visualizing the reactivity of rust minerals when deprived of oxygen, such as those below the [soil surface](#). Using iron isotopes and [atom probe tomography](#), or APT, they traced these oxidation-reduction reactions to create the first 3-D "atomic maps" of the re-arrangement of different iron atoms in a small iron oxide crystal.

The APT maps revealed a surprisingly dynamic iron cycle, showing the continual movement of iron on and off the mineral surfaces.

"We saw that iron atoms in water specifically sought out and filled in tiny potholes, or defects, in the crystal surfaces," said Sandra Taylor, a post-doctoral research associate in PNNL's Geochemistry Group who conducted the measurements. "Seeing these recrystallized regions at the atomic scale showed us that the reaction can effectively 'heal' damaged areas on the crystal [surface](#), and growth is driven by perfection."

Kevin Rosso, a PNNL Laboratory Fellow and lead investigator for the study, says the results confirm that reactions with rust minerals in soils and steel corrosion products are more dynamic than typically thought.

They illustrate how rust persists on metal pipes under changing chemical conditions, enabling it to continually corrode and deteriorate over time.

The discovery capped a years-long effort to capture chemical composition measurements and images at the atomic scale in 3-D using APT. This sophisticated and challenging technique requires great skill to successfully probe the surfaces of nanoparticle iron oxides. The atom probe is located in the Environmental Molecular Sciences Laboratory, a DOE Office of Science user facility at PNNL.

"This study sets a new precedent for characterizing this important redox interface," said Rosso, adding that the results can be used to better understand a broad range of processes. These include understanding how crystals grow and dissolve, and also the underlying causes of corrosion and how it creates rust on surfaces—rust that never sleeps.

**More information:** Sandra D. Taylor et al., "Visualizing the iron atom exchange front in the Fe(II)-catalyzed recrystallization of goethite by atom probe tomography," *PNAS* (2019).

[www.pnas.org/cgi/doi/10.1073/pnas.1816620116](http://www.pnas.org/cgi/doi/10.1073/pnas.1816620116)

Provided by Pacific Northwest National Laboratory

Citation: Research using atom probe tomography reveals chinks in iron crystals that can 'heal' (2019, February 4) retrieved 19 September 2024 from <https://phys.org/news/2019-02-atom-probe-tomography-reveals-chinks.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.