


Giant molecular outflow detected from the quasar PDS 456

3 April 2019, by Tomasz Nowakowski



Continuum-subtracted spectrum of the CO(3-2) emission line in PDS 456, extracted from a circular region of 1 arcsec radius. Panel (a) shows the integrated flux density as a function of velocity, corresponding to a circular region of 1 arcsec radius centred on the QSO position. The channel width is 30 km/s. The inset (b) shows a zoomed-in view of the high-velocity wings in the CO(3-2) line profile. Credit: Bischetti et al., 2019.

Using the Atacama Large Millimeter/submillimeter Array (ALMA) in Chile, astronomers have detected a galaxy-wide molecular outflow from the quasar PDS 456. The findings are presented in a paper published March 25 on arXiv.org, in which the authors investigate the properties of this outflow.

Powered by [supermassive black holes](#) (SMBHs), quasars, or quasi-stellar objects (QSOs) are extremely luminous active galactic nuclei (AGN) with luminosities even thousands of times greater than that of our Milky Way galaxy. Most [quasars](#) are known to eject huge amounts of material into their host galaxies. Hence, detecting and observing such outflows could provide important hints about the evolution of galaxies.

At a redshift of 0.18 and with bolometric luminosity of about 100 quattuordecillion erg/s, PDS 456 is the most luminous radio-quiet quasar in the local universe. The widespread presence of outflows in this quasar, together with its relative proximity and high luminosity, make it an ideal candidate to study molecular outflows and the effects of the quasar activity on the host-galaxy interstellar medium.

A group of astronomers led by Manuela Bischetti of the Observatory of Rome, Italy, has conducted ALMA observations of the 1 mm continuum and CO(3-2) line emission in PDS 456. This observations resulted in the detection of several blue-shifted clumps reaching out to about 16,000 light years from the nucleus, which revealed the presence of a large galaxy-wide molecular [outflow](#) in this quasar.

"The CO(3-2) emission line profile shows a blue-shifted tail (whose flux density is about 1/60 of the line peak), extending to $v \sim -1000$ km/s, and a red-shifted wing at v

The observations revealed that this outflow has a total mass of around 250 million solar masses and a mass outflow rate of about 290 solar masses per year. These values indicate that it is a remarkably weak outflow for such a luminous quasar like PDS 456, in which one of the fastest and most energetic ultra-fast outflows (UFOs) had been detected.

Furthermore, the researchers calculated that the depletion timescale for the molecular gas in PDS 456 is at a level of approximately 8 million years, what is about four to 10 times shorter than the rate at which the molecular gas is converted into stars. This, according to the study, points to a possible quenching of the star-formation activity in the host galaxy within a short time.

The research also underlined that the time necessary for the UFO to supply the energy measured for the molecular outflow in PDS 456 is

about two times shorter than that for active galactic nuclei at lower bolometric luminosities. This may suggest that the UFO in the studied quasar was observed in its outburst phase, or that the molecular phase is not representative of the total outflow energy in hyper-luminous sources. All in all, more studies of PDS 456 should be carried out in order to verify these hypothesis.

More information: M. Bischetti et al. The gentle monster PDS 456: the kpc scale molecular outflow and its implications for QSO feedback.

arXiv:1903.10528 [astro-ph.GA].

arxiv.org/abs/1903.10528

© 2019 Science X Network

APA citation: Giant molecular outflow detected from the quasar PDS 456 (2019, April 3) retrieved 27 November 2020 from <https://phys.org/news/2019-04-giant-molecular-outflow-quasar-pds.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.