


Researchers discover semiconducting nanotubes that form spontaneously

July 8 2019



The tubes consist of several walls that are perfectly uniform and just a few atoms thick. They display optical properties that make them perfect for use as fluorophores or photocatalysts. Credit: EPFL

If scientists could find a way to control the process for making semiconductor components on a nanometric scale, they could give those components unique electronic and optical properties—opening the door to a host of useful applications.

Researchers at the Laboratory of Microsystems, in EPFL's School of Engineering, have taken an important step towards that goal with their discovery of semiconducting nanotubes that assemble automatically in solutions of metallic nanocrystals and certain ligands. The tubes have between three and six walls that are perfectly uniform and just a few atoms thick—making them the first such nanostructures of their kind.

What's more, the nanotubes possess photoluminescent properties: they can absorb light of a specific wavelength and then send out intense light waves of a different color, much like [quantum dots](#) and quantum wells. That means they can be used as [fluorescent markers](#) in [medical research](#), for example, or as catalysts in photoreduction reactions, as evidenced by the removal of the colors of some organic dyes, based on the results of initial experiments. The researchers' findings have made the cover of *ACS Central Science*.

An accidental discovery

But the unique feature of these semiconducting nanotubes is how they are formed. "Our discovery happened almost by chance. We had set out to study the role that certain ligands play in making 2-D semiconducting nanometric crystals," says Xiaopeng Huang, the study's lead author. But

the research team found that some ligands caused molecules to spontaneously come together in precise cylindrical structures which until then had been impossible to create.

Investigating new properties

The researchers will now investigate the other physical and electrical properties of their nanotubes and look into methods for making nanotubes with just a single wall.

More information: Xiaopeng Huang et al, Spontaneous Formation of CdSe Photoluminescent Nanotubes with Visible-Light Photocatalytic Performance, *ACS Central Science* (2019). [DOI: 10.1021/acscentsci.9b00184](https://doi.org/10.1021/acscentsci.9b00184)

Provided by Ecole Polytechnique Federale de Lausanne

Citation: Researchers discover semiconducting nanotubes that form spontaneously (2019, July 8) retrieved 18 April 2024 from <https://phys.org/news/2019-07-semiconducting-nanotubes-spontaneously.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.