


Tropical sea snake uses its head to 'breathe'

September 3 2019



A novel modified cephalic vascular network that provides the blue-banded sea snake (*Hydrophis cyanocinctus*) with a complementary supply of oxygen to the brain during submersion has been described for the first time by Australian and Vietnamese researchers. Credit: Dr Alessandro Palci, Flinders University

Humans use a snorkel and fish have gills. Now researchers have found a sea snake which uses a complex system of blood vessels in its head to draw in extra oxygen when it dives and swims underwater.

During submersion, the blue-banded [sea snake](#) (*Hydrophis cyanocinctus*)

is now thought to use an extensive vascular network across the top of its head to absorb oxygen from the surrounding water.

"For the first time, we describe this modified cephalic vascular network (MCVN) that provides this sea snake with a complementary supply of oxygen to the brain during submersion," says lead researcher, Flinders University evolutionary researcher Dr. Alessandro Palci, who is a visiting researcher at the University of Alberta, Canada.

"Basically we found that this sea snake uses the top of its head as a gill to breathe underwater," says Dr. Palci.

The highly venomous blue-banded sea snakes, which live in tropical waters of Southeast Asia, are found on coral reefs and warm coastal waters. Sea snakes must surface regularly to breathe but are among the most completely aquatic of all air-breathing vertebrates.

The vascular network, located just under the skin of the snout and forehead of the snake, surprised researchers in their new study.

"While the MCVN is structurally very different from the gills of fish and amphibians, its function is nonetheless quite similar, in that it provides a [large surface area](#) packed with oxygen-depleted [blood vessels](#) that can efficiently take in oxygen from the surrounding water," Dr. Palci says.

ARC Future Fellow Dr. Kate Sanders, from the University of Adelaide School of Biological Sciences, says the latest study expands understanding of the unusual cutaneous respiratory anatomy of sea snakes.

"Sea snakes have been extremely successful at adapting to a fully marine lifestyle, including the ability to absorb [oxygen](#) through their skin," Dr.

Sanders says.

"Now we have discovered this interesting feature in *H. cyanocinctus* by using microCT scans and computer modelling.

"This feature probably allows these sea snakes to stay submerged for longer periods of time, which further research can test."

Mr Palci, with experts from the South Australian Museum, Vietnam Academy of Science and Technology, and University of Adelaide, modelled the [snake](#)'s special feature.

More information: Novel vascular plexus in the head of a sea snake (Elapidae, Hydrophiinae) revealed by high-resolution computed tomography and histology, *Royal Society Open Science*, [rsos.royalsocietypublishing.org ... /10.1098/rsos.191099](https://royalsocietypublishing.org/doi/10.1098/rsos.191099)

Provided by Flinders University

Citation: Tropical sea snake uses its head to 'breathe' (2019, September 3) retrieved 19 September 2024 from <https://phys.org/news/2019-09-tropical-sea-snake.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.