

Scientists report new biological control for noxious parthenium weed in Pakistan

March 4 2020



Scientist examines parthenium weed. Credit: Asim Hafeez

CABI scientists, as part of an international team of researchers, have discovered a new biological control in the fight against the highly noxious and invasive weed parthenium (*Parthenium hysterophorus*) in

Pakistan.


As outlined in a new paper published in the journal *BioInvasions Records*, the scientists report the first record of the [rust](#) species *Puccinia abrupta* var. *partheniicola*—more commonly known as winter rust—in the Punjab and Khyber Pakhtunkhwa Provinces.

The presence of winter rust marks the second natural enemy, in addition to the leaf-feeding beetle *Zygogramma bicolorata* Pallister (Coleoptera: Chrysomelidae), which could help the management of parthenium in Pakistan.

According to the CABI evidence note titled "Parthenium: Impacts and coping strategies in Central West Asia," parthenium is an aggressively spreading [weed](#), now classed as a 'superior weed,' which is extremely prolific and capable of producing up to 30,000 seeds per plant.

CABI scientists say parthenium can cause severe allergic reactions in humans and livestock, may harbour malaria-carrying mosquitoes, displace native plant species, and reduce pasture carrying capacities by as much as 80% to 90%. In India, for example, the cost of restoring grazing land is around USD \$6.7 billion per annum.

The evidence note also highlights that parthenium weed can have a significant impact on crop yields through direct competition, as well as by inhibiting germination of seeds—in Ethiopia, for instance, sorghum grain yield was reduced from 40 to 97 percent.



Young pustules of the rust *Puccinia abrupta* var. *partheniicola* on *Parthenium hysterophorus*. Credit: Iram M. Iqbal

The researchers conducted surveys for winter rust covering 65 sites in 19 districts of Punjab and Khyber Pakhtunkhwa. The species was recorded at 21 sites in eight districts. The most severe attack was found in the northern part of Punjab, including Lahore, Attock and Narowal districts, while in Khyber Pakhtunkhwa, medium rust infection was recorded only in Manshera district. In other districts, rust infection was considered low or absent.

Dr. Philip Weyl, a co-author on the paper, said, "Parthenium weed is considered to be a dominant weed species of natural ecosystems and agriculture in Pakistan and is also [a major allergen] to humans and toxic to livestock. Management options in Pakistan are limited and have tended to focus on manual removal and the application of herbicides. However, manual removal of the weed without protective clothing is very risky due to contact dermatitis while large-scale control using herbicides is economically and environmentally unsustainable."

The scientists reveal that while winter rust has previously been introduced deliberately to tackle parthenium in Australia in 1991, it has also appeared unintentionally in China, India, Ethiopia, Kenya, Mauritius, Nepal, South Africa and Tanzania. They believe the rust could have entered Pakistan via India or Nepal.

Lead author Iram M. Iqbal from the University of the Punjab said, "While the winter rust may not kill the parthenium, it can significantly reduce biomass and seed production, especially when applied at the rosette stage of the weed. Furthermore, the suppressive effect of the rust was enhanced in the presence of competitive pasture plants and is likely to maintain its effectiveness under elevated CO₂ concentrations. We believe that the presence of winter rust in Pakistan will aid the management of parthenium weed."

More information: Iram Iqbal et al, The first record of *Puccinia abrupta* var. *partheniicola*, on *Parthenium hysterophorus* an invasive alien plant species in Pakistan, *BioInvasions Records* (2020). [DOI: 10.3391/bir.2020.9.1.01](https://doi.org/10.3391/bir.2020.9.1.01)

Provided by CABI

Citation: Scientists report new biological control for noxious parthenium weed in Pakistan (2020, March 4) retrieved 20 September 2024 from <https://phys.org/news/2020-03-scientists-biological-noxious-parthenium-weed.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.