


# Urban heat waves imperil LA's most vulnerable communities

19 May 2020



As heat waves intensify, low-income and disadvantaged communities across south Los Angeles are most at risk, USC researchers say. Disruptions such as climate change and coronavirus underscore threats to vulnerable populations and the need for solutions. Credit: USC

People living in low-income, disadvantaged communities across much of urban Los Angeles lack the means to cool their homes, posing a growing threat to their health—and their lives—from extreme heat waves due to global warming, new USC research shows.

The communities across southern L.A. are most vulnerable, underscoring social inequities as a warming world affects populations differently. The USC research aims to help prepare the megalopolis for big disruptions, manifest in the coronavirus crisis today and climate change tomorrow.

"We studied how residential electricity use may increase in a warming world," said Kelly Sanders, an author of the study and associate professor of civil and environmental engineering at the USC Viterbi School of Engineering. "These will be the people and neighborhoods least likely to be

resilient to climate change because it's harder for people in low-income communities to adapt."

COVID-19 adds urgency, Sanders said, because "it has underscored the importance of preparing for shocks, particularly those that disproportionately impact underserved populations. We know that [extreme heat events](#) are increasing over time, and we hope that our work can be used to direct resources towards building resilience to warming in the vulnerable communities that might suffer most."

The study was published May 19 in *Environmental Research Letters*.

Hot cities pose serious challenges for policymakers in a warming planet. Heat is already a big killer, accounting for more deaths each year in the United States than storms, floods and lightning combined, the study says.

Last year was the second hottest year on record, according to the World Meteorological Organization. The United Nations reports thousands of heat-related deaths or hospitalizations annually, raising concern among public health officials as extreme temperature events grow in intensity, frequency and duration.

Cities are becoming more crowded, too, as more than half of the world's population now lives in metro areas. The portion is forecast to grow to nearly 70% in 30 years. And cities face a double whammy due to an urban heat island effect, which occurs because the built environment retains more heat than natural environments.

Those trends pose challenges for electricity infrastructure and peak electricity management, underscoring the need to identify vulnerable communities. To anticipate future cooling needs, the study quantifies where urban warming is expected to increase air conditioning and energy use.

The USC research team turned to [big data](#) to tackle direct resources—such as public funding, weatherization programs and cooling centers—towards the vulnerable populations that will be most negatively affected by extreme events in the future," Sanders said.

First, they utilized smart meter data for 180,476 households in Southern California. Then, they quantified the increases in residential electricity use per degree of warming for census tracts in the region; that resulted in analyzing 3 billion electrical consumption records. They also created a method to estimate the prevalence of air conditioning units, which showed that the units are less common in poorer census tracts. Next, they utilized [global warming](#) projections for the region for 2070-2099.

**More information:** Mo Chen et al, Utilizing smart-meter data to project impacts of urban warming on residential electricity use for vulnerable populations in Southern California, *Environmental Research Letters* (2020). DOI: [10.1088/1748-9326/ab6f6e](https://doi.org/10.1088/1748-9326/ab6f6e)

"Our research suggests that more than half (55%) of the census tracts identified as most vulnerable are expected to experience more than 16 extreme heat days above 95 F per year by the end of the century," said George Ban-Weiss, an author of the study and professor of civil and [environmental engineering](#) at USC Viterbi.

Provided by University of Southern California

Many communities clustered in southern L.A.—including Lynwood, Compton, Inglewood and South Gate—lack the advantages to cope with hot temperatures found in other parts of the region, making them more vulnerable to extremes, the study shows.

The study offers rich detail and data, as the analysis accounts for census tracts across Southern California—data only made possible by advances in electricity meters.

"Before we had these household-level smart meter data, we couldn't locate the most [vulnerable communities](#) and where help is needed most," said Mo Chen, lead author of the study and a doctoral student at USC Viterbi.

The study underscores a growing body of research that shows the uneven impacts of [global warming](#). For example, across Southern California, coastal communities are somewhat buffered by the ocean while wealthy communities can afford more energy use and many homes in inland valleys mostly have air conditioners installed.

"The findings are useful from a policy perspective because they give policymakers information to

APA citation: Urban heat waves imperil LA's most vulnerable communities (2020, May 19) retrieved 2 March 2021 from <https://phys.org/news/2020-05-urban-imperil-la-vulnerable.html>

*This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.*