

# New method estimates risks of hormone-disrupting substances in drinking water

July 8 2020

---



Credit: Pixabay/CC0 Public Domain

Researchers at Karolinska Institutet have developed a new method that can make it easier for public authorities to assess the health risks of hormone-disrupting chemicals in the environment. The method was used

to evaluate the risk associated with exposure data from the population of Ronneby, Sweden, where the drinking water has been contaminated with PFAS from fire-fighting foam. The study, published in *Environmental Health Perspectives*, shows that women are particularly at risk of decreased levels of thyroid hormones related to PFAS-contaminated drinking water.

PFAS (per- and polyfluoroalkyl substances) can be found in everything from ski wax to frying pans and fire-extinguisher foam. They are highly persistent and damaging to human health and the environment. Amongst other effects, PFAS can cause weakened immune systems, lower birth weights and alter [thyroid](#) levels. At several places around the country, especially near fire-drill sites, high concentrations of PFAS have been found in the [drinking water](#). There is therefore a pressing need to explore the health risks to which the local populations are exposed.

"It's not enough to know that the levels exceed a limit value," says lead author Antero Silva, doctoral student at the Institute of Environmental Medicine at Karolinska Institutet in Sweden. "We wanted to develop a method that describes how great the risk is while dealing with the uncertainty of the data."

The problems with PFAS have been highlighted recently in the reality-based Hollywood film *Dark Waters*, which follows lawyer Robert Bilott (played by Mark Ruffalo) as he exposes how US industry has been covering up the risks of PFAS for decades. Legal proceedings are also underway in Sweden following a lawsuit against the municipal water company filed by the residents of one of the worst affected towns, Ronneby.

In this present study, the researchers have linked information on how PFAS influence thyroid hormone levels with differences in sensitivity between individuals. Using exposure data from Ronneby, the researchers

calculated how many people might be affected and estimated that around four percent of the local women had blood PFAS levels high enough to cause a drop in levels of the hormone.

"Using a large number of repeated computer simulations we can describe the risk in terms of probability," explains Silva. "Our results show that it is mainly women who risk being affected and that those who have lived a long time in Ronneby are more likely to have reduced levels of thyroid hormone."

The thyroid hormone controls body metabolism, and an underactive thyroid (hypothyroidism) can lead to tiredness, concentration problems and depression. The hormone is also crucial to fetal development. In 2019, 472,000 people in Sweden were given drugs for low levels of thyroid hormone, 82 percent of whom were women. The new study does not focus on the risk of disease, however, but on the likelihood of [hormone](#) levels being affected in a certain population group. It is therefore only possible to give the risk at population level, rather than identify which individuals are affected.

"There are many factors that determine whether or not you get sick," says Silva. "The body has an ability to compensate for environmental influence, but PFAS are a factor that can increase the risks. So it's important for the health of those exposed to PFAS to be checked."

The risks of chemicals in the environment are mainly assessed by comparing exposure with different limit values, which can give a false impression that there is a clear line between safe and dangerous. The researchers hope that the new method will be able to help public authorities analyze risks more carefully while paying closer regard to uncertainty and variation.

**More information:** "A probabilistic approach to evaluate the risk of

decreased total triiodothyronine hormone levels following chronic exposure to PFOS and PFHxS via contaminated drinking water" *Environmental Health Perspectives* (2020). [DOI: 10.1289/EHP6654](https://doi.org/10.1289/EHP6654)

Provided by Karolinska Institutet

Citation: New method estimates risks of hormone-disrupting substances in drinking water (2020, July 8) retrieved 26 April 2024 from <https://phys.org/news/2020-07-method-hormone-disrupting-substances.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.