

Road traffic microplastics flooding world's oceans: study

July 14 2020, by Patrick Galey



As global plastic production continues to surge, the study is the first attempt at quantifying how much plastic from road vehicle tyres and brake pads is dispersed and deposited by air currents

Airborne microplastics from traffic pollution may be entering the

world's oceans at a similar rate to that from rivers, according to new research Tuesday warning that the particles may also speed up Arctic ice melt.

As global plastic production continues to surge, the study is the first attempt at quantifying how much plastic from road vehicle tyres and brake pads is dispersed and deposited by air currents.

Microplastics—tiny particles produced when larger plastic chunks break down as well as microfibrils from clothes and other materials—have been found atop some of Earth's highest glaciers and at the bottom of its deepest trenches.

Researchers in Norway and Austria took data on how much microplastic is produced by [road transport](#) and combined them with simulations of where they might be transported on wind currents.

They found that around a third of all road microplastic—roughly 50,000 tonnes—end up in the world's oceans every year.

The estimated range of 40,000-100,000 tonnes of aerial [microplastic](#) compares with the 65,000 tonnes deposited into the ocean from rivers annually.

"Atmospheric transport—a source that is underestimated or not even considered—has the same impact on [microplastic pollution](#) in the ocean as riverine transport," Nikolaos Evangeliou, from the Norwegian Institute for Air Research and lead study author, told AFP.

He said that microplastics were already having an impact on human and [animal health](#) as they are able to absorb organic compounds and [toxic heavy metals](#), which are then ingested and enter the food chain.

Most road traffic plastic emissions are produced in vehicle-heavy regions such as North America, Northern Europe and South East Asia.

Long-term menace

Evangeliou and his team found that when they simulated where these emissions were transported by global weather patterns, a significant amount was likely ending up in the Arctic.

Given the plastic particles' dark colour, which absorbs more of the Sun's heat, they said the pollution could affect the rate of ice melt there.

"Such small particles may act as light-absorbing impurities when deposited on snow and ice surfaces decreasing surface (heat reflection) and accelerating melting," Evangeliou said.

With several countries promising to end production of petrol and diesel vehicles in the coming decades, the paper published in *Nature Communications* suggested that [road](#) plastic emissions would continue to pose a growing environmental threat as tyres and brakes would likely be the same even on electric models.

"Road microplastics environmental impact as they are derived by materials made from fossil fuels such as ethylene and propylene," said Evangeliou.

"Thus, the larger need for plastics result in larger emissions of greenhouse gases."

© 2020 AFP

Citation: Road traffic microplastics flooding world's oceans: study (2020, July 14) retrieved 21 September 2024 from

<https://phys.org/news/2020-07-road-traffic-microplastics-world-oceans.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.