

Study sheds new light on vein formation in plants

6 August 2020



Credit: Pixabay

An international team of researchers including the University of Adelaide, has found plant hormones known as strigolactones suppress the transportation of auxin, the main plant hormone involved in vein formation, so that vein formation occurs slower and with greater focus.

The research, published in *Nature Communications*, brings [new knowledge](#) about how hormones regulate plant growth, knowledge that will ultimately contribute to scientists' quest to improve crop productivity.

Co-author, Dr. Philip Brewer of the University of Adelaide's Waite Research Institute, said scientists know that the interaction between strigolactones and auxin is important for plant responses, but further research in this area is essential to learn how.

Vascular [plants](#) have veins in leaves, stems and roots that carry water and nutrients to cells, and provide structural support. The [hormone](#) auxin flows from new leaves and buds to connect them together and joins them with the stem, and re-joins

veins at wound sites, a process call canalisation.

"Although only recently identified, what we know about strigolactone hormones is that they help plants respond to [environmental conditions](#), such as optimising [plant growth](#) to match soil nutrient levels," said Dr. Brewer.

"By observing the interaction of the two hormones in pea and thale cress plants in this study, we found that when applied, strigolactones reduce the transport of auxin and slow vein formation.

"Strigolactones also suppress auxin as it flows through root tips. Specifically, strigolactones limit the way auxin promotes its own transport out of cells," said Dr. Brewer.

Dr. Brewer said [plant hormones](#) like auxin and strigolactones have great potential to improve crop productivity.

"However, understanding how they act is still a major research challenge, and applying hormones in agriculture often results in unwanted side effects," said Dr. Brewer.

"Improved knowledge of how the hormones act allows us to uncover ways to fine-tune hormone responses so that we can realise the benefits and limit the side effects.

"While more research is needed in this field, this study contributes to fundamental knowledge of plant biology and offers hope of finding new ways to adapt crops to increasingly difficult climate conditions," Dr. Brewer said.

More information: Jing Zhang et al. Strigolactones inhibit auxin feedback on PIN-dependent auxin transport canalization, *Nature Communications* (2020). [DOI: 10.1038/s41467-020-17252-y](#)

Provided by University of Adelaide

APA citation: Study sheds new light on vein formation in plants (2020, August 6) retrieved 21 October 2020 from <https://phys.org/news/2020-08-vein-formation.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.