

Serengeti leopard population densities healthy but vary seasonally, study finds

August 31 2020, by Diana Yates



Leopard population densities in the Serengeti National Park in Tanzania are comparable to those in other large protected areas, researchers found. The scientists used camera-trap data from the Snapshot Serengeti project. Credit: Michael Jeffords and Sue Post

A study of camera-trap data from Serengeti National Park in Tanzania

found that leopard population densities in the 3.7-million-acre park are similar to those in other protected areas but vary between wet and dry seasons. The fluctuations appear to be driven by the abundance of prey and how this affects interactions with other large carnivores like lions, researchers report.

Despite the long history of wildlife research in the Serengeti, this is the first peer-reviewed study of leopard densities in the park, said Max Allen, a carnivore ecologist with the Illinois Natural History Survey at the University of Illinois, Urbana Champaign who led the research. Allen and his team analyzed data from Snapshot Serengeti, a large collaborative effort that uses hundreds of camera traps to collect data on large cats and other wildlife in the Serengeti. The team published the new findings in the journal *Biodiversity and Conservation*.

"In the wet season, when potential prey species like Thomson's gazelle and impala are available in abundance, leopards appear at higher densities," Allen said. "In the dry season, leopards seem to work harder to avoid other [large carnivores](#) that compete with them for less abundant food."

The team used advanced analytical techniques called Bayesian statistics to estimate leopard densities for each camera-trap site and for the study area overall.

"We found 5.72 and 5.41 leopards per 100-square-kilometers in the wet and [dry seasons](#), respectively," Allen said. "These densities suggest the leopard populations are at moderately healthy levels in the Serengeti. This reflects the importance of large conservation areas for large carnivores, as leopard populations are generally declining across their range."



A camera-trap caught this picture of a leopard in Serengeti National Park in Tanzania. Credit: Snapshot Serengeti



Leopards hunt in darkness and in daylight. This leopard was captured by a camera trap in the Serengeti at night. Credit: Snapshot Serengeti



Impalas and other potential leopard prey are more plentiful in the rainy season in Serengeti National Park. Leopard population densities in the park also increase at this time of year, a new study found. Credit: Michael Jeffords and Sue Post



Leopards in the Serengeti try to avoid interacting with lions and other top predators during the dry season, when prey is less abundant. Credit: Michael Jeffords and Sue Post



The densities of leopard populations in the Serengeti are similar to those in other large protected wildlife areas in Africa, researchers found. Credit: Snapshot Serengeti

The results also highlight the importance of citizen-scientist projects for the conservation of wild species, Allen said. Snapshot Africa is one of the most effective citizen science projects in the world, he said.

"Large carnivores at the top of the food chain play important roles in ecosystem regulation, and disease and [population](#) control," Allen said. "The human-induced changes to habitat availability and quality are accelerating the decline of large carnivores, which are already vulnerable because they have naturally low population densities at birth."

Understanding how carnivore populations are faring and what factors contribute to their success is essential to conserving them and the other wildlife in their ecosystem, Allen said. Capturing data about their habits through unobtrusive camera traps can lead to better management of the wild areas on which they depend.

More information: Maximilian L. Allen et al. Counting cats for conservation: seasonal estimates of leopard density and drivers of distribution in the Serengeti, *Biodiversity and Conservation* (2020). [DOI: 10.1007/s10531-020-02039-w](https://doi.org/10.1007/s10531-020-02039-w)

Provided by University of Illinois at Urbana-Champaign

Citation: Serengeti leopard population densities healthy but vary seasonally, study finds (2020, August 31) retrieved 19 September 2024 from <https://phys.org/news/2020-08-serengeti-leopard-population-densities-healthy.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.