


Solvation rearrangement brings stable zinc/graphite batteries closer to commercial grid storage

10 September 2020



The team has focused on Zinc anode and Graphite cathode based Dual-ion batteries (DIBs) due to their low cost and high-voltage capabilities, making them a great candidate for large, grid-scale storage devices. Their findings were published in *Angewandte Chemie International Edition* on August 18.

In these batteries, Zn deposition occurs on a Zn anode during charging process while negatively charged anions weave themselves into the Graphite cathode allowing [energy storage](#) for later use, a process known as intercalation. Zinc/Graphite batteries, however, do have a catch.

Tuning the anion solvation network of carbonate-based electrolyte for high-voltage Zn/graphite batteries. Credit: Zhao Jingwen

"Unfortunately, anions often used for graphite intercalation reactions could complex with carbonate in the electrolyte. This decreases the oxidation stability of carbonate and prevents the development of DIBs with [high efficiency](#), low self-discharge and long shelf/cycling life," says Cui.

With grid-scale renewable energy on the rise, many scholars have shifted their attention from energy generation to energy storage. Whether it is solar cells converting sunlight into power, or windmills transforming air currents into electrical currents, the sources of renewable energy generation are inherently variable.

Essentially, the electrolytes used to transfer charge through the battery would undergo oxidative decomposition at high voltage regions, lowering the efficiency and the lifetime of the battery. This is an essential problem to solve before applying this type of battery to large scale power storage.

Exceptionally cloudy or still days can cause noticeable fluctuations in the power output of renewable sources. A major hurdle for grid-scale [renewable energy](#) is how to efficiently store these often intermittent energy sources for later, more evenly distributed uses.

The group's approach enhanced the oxidation stability of carbonate-based electrolytes through tuning the anion solvation structure. By introducing a strongly-electron donating trimethyl phosphate (TMP) solvent, the team was able to trap the anions in the TMP solvation regime and decouple the anions from carbonate solvent.

A research team led by Prof. Cui Guanglei and Zhao Jingwen from Qingdao Institute of Bioenergy and Bioprocess Technology (QIBEBT), Chinese Academy of Sciences (CAS) is one step closer to solving this storage problem.

Consequently, the operating voltage of the Zinc/Graphite batteries was raised by 0.45 V while also enabling a long-life cycle (92% capacity retention after 1000 cycles). This could not only

extend the cycle life of Zinc/Graphite batteries, but also increase the capacity of anion intercalation into [graphite](#). The authors emphasized that "a deep understanding and regulation of the anion solvation structure is essential."

"Here, we regain the anti-oxidative nature of carbonate-based electrolytes to support high-voltage Zinc/Graphite cells, by reorganizing the intermolecular, i.e., ion-solvent and ion-ion, interactions," Cui said.

Their future work will be focused on increasing the energy density, suppressing the self-discharge behavior as well as lowering the cost of the electrolyte for Zinc/Graphite batteries. The ultimate goal is to commercialize the Zinc/Graphite battery in grid-scale energy storage.

More information: Zheng Chen et al, Anion solvation reconfiguration enables high-voltage carbonate electrolytes for stable Zn/graphite cells, *Angewandte Chemie* (2020). [DOI: 10.1002/ange.202010423](#)

Provided by Chinese Academy of Sciences
APA citation: Solvation rearrangement brings stable zinc/graphite batteries closer to commercial grid storage (2020, September 10) retrieved 28 October 2020 from <https://phys.org/news/2020-09-solvation-rearrangement-stable-zincgraphite-batteries.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.