


# Energy harvesting goes organic, gets more flexible

September 15 2020

---



A group of researchers has explored peptide-based nanotubes and, in the *Journal*

*of Applied Physics*, reports using a combination of ultraviolet and ozone exposure to generate a wettability difference and an applied field to create horizontally aligned polarization of nanotubes on flexible substrates with interlocking electrodes. The work will enable the use of organic materials more widely. This image shows optical (a-c) and lateral piezoresponse force microscopy (LPFM) phase images (d-f) of the peptide nanotubes on interlocking electrode substrates: (a, d) without alignment, (b, e) aligned using both electric field and UV/ozone, and (c, f) aligned PNTs with graphene oxide (GO) using both electric field and UV/ozone. Credit: Sawsan Almohammed

Nanogenerators capable of converting mechanical energy into electricity are typically made from metal oxides and lead-based perovskites. But these inorganic materials aren't biocompatible, so the race is on to create natural biocompatible piezoelectric materials for energy harvesting, electronic sensing, and stimulating nerves and muscles.

University College Dublin and University of Texas at Dallas researchers decided to explore peptide-based [nanotubes](#), because they would be an appealing option for use within electronic devices and for energy harvesting applications.

In the *Journal of Applied Physics*, the group reports using a combination of ultraviolet and ozone exposure to generate a wettability difference and an applied field to create horizontally aligned polarization of nanotubes on flexible substrates with interlocking electrodes.

"The piezoelectric properties of peptide-based materials make them particularly attractive for energy harvesting, because pressing or bending them generates an [electric charge](#)," said Sawsan Almohammed, lead author and a postdoctoral researcher at University College Dublin.

There's also an increased demand for organic materials to replace

inorganic materials, which tend to be toxic and difficult to make.

"Peptide-based materials are organic, easy to make, and have strong chemical and physical stability," she said.

In the group's approach, the physical alignment of nanotubes is achieved by patterning a wettability difference onto the surface of a flexible substrate. This creates a chemical force that pushes the peptide nanotube solution from the hydrophobic region, which repels water, with a high contact angle to the hydrophilic region, which attracts water, with a low contact angle.

Not only did the researchers improve the alignment of the tubes, which is essential for energy harvesting applications, but they also improved the conductivity of the tubes by making composite structures with [graphene oxide](#).

"It's well known that when two materials with different work functions come into contact with each other, an electric charge flows from low to high work function," Almohammed said. "The main novelty of our work is that controlling the horizontal alignment of the nanotubes by electrical field and wettability-assisted [self-assembly](#) improved both the current and voltage output, and further enhancement was achieved by incorporating graphene oxide."

The group's work will enable the use of organic materials, especially peptide-based ones, more widely within electronic devices, sensors, and [energy](#) harvesting applications, because two key limitations of peptide nanotubes—alignment and conductivity—have been improved.

"We're also exploring how charge transfer processes from bending and electric field applications can enhance Raman spectroscopy-based detection of molecules," Almohammed said. "We hope these two efforts

can be combined to create a self-energized biosensor with a wide range of applications, including biological and environmental monitoring, high-contrast imaging, and high-efficiency light-emitting diodes."

**More information:** "Energy harvesting with peptide nanotube-graphene oxide flexible substrates prepared with electric field and wettability assisted self-assembly," *Journal of Applied Physics* (2020). [aip.scitation.org/doi/10.1063/5.0017899](http://aip.scitation.org/doi/10.1063/5.0017899)

Provided by American Institute of Physics

Citation: Energy harvesting goes organic, gets more flexible (2020, September 15) retrieved 19 April 2024 from <https://phys.org/news/2020-09-energy-harvesting-flexible.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--