

Compound from medicinal herb kills brain-eating amoebae in lab studies

January 13 2021



Leaves from *Inula viscosa*, a Mediterranean perennial shrub, contain a compound that kills brain-eating amoebae. Credit: Adapted from *ACS Chemical Neuroscience* 2020, DOI: [10.1021/acschemneuro.0c00685](https://doi.org/10.1021/acschemneuro.0c00685)

Primary amoebic meningoencephalitis (PAM), a deadly disease caused by the "brain-eating amoeba" *Naegleria fowleri*, is becoming more common in some areas of the world, and it has no effective treatment. Now, researchers reporting in *ACS Chemical Neuroscience* have found that a compound isolated from the leaves of a traditional medicinal plant, *Inula viscosa* or "false yellowhead," kills the amoebae by causing them to commit cell suicide in lab studies, which could lead to new treatments.

PAM, characterized by headache, fever, vomiting, hallucinations and seizures, is almost always fatal within a couple of weeks of developing symptoms. Although the disease, which is usually contracted by swimming in contaminated freshwater, is rare, increasing cases have been reported recently in the U.S., the Philippines, southern Brazil and some Asian countries. Amphotericin B is the most common therapy given to those with the infection. It can kill *N. fowleri* in the lab, but it isn't very effective when given to patients, likely because it cannot cross the blood-brain barrier. Ikrame Zeouk, José Piñero, Jacob Lorenzo-Morales and colleagues wanted to explore whether compounds isolated from *I. viscosa*, a strong-smelling plant that has long been used for [traditional medicine](#) in the Mediterranean region, could effectively treat PAM.

The researchers first made an ethanol extract from the herb's leaves, finding that it could kill *N. fowleri* amoebae. Then, they isolated and tested specific compounds from the extract. The most potent compound, inuloxin A, killed amoebae in the lab by disrupting membranes and causing mitochondrial changes, chromatin condensation and oxidative damage, ultimately forcing the parasites to undergo programmed cell death, or apoptosis. Although inuloxin A was much less potent than amphotericin B in the lab, the structure of the plant-derived compound suggests that it might be better able to cross the blood-brain barrier. More studies are needed to confirm this hypothesis, the researchers say.

More information: Ikrame Zeouk et al. Exploring the Anti-Infective Value of Inuloxin A Isolated from *Inula viscosa* against the Brain-Eating Amoeba (*Naegleria fowleri*) by Activation of Programmed Cell Death, *ACS Chemical Neuroscience* (2020). [DOI: 10.1021/acscchemneuro.0c00685](https://doi.org/10.1021/acscchemneuro.0c00685)

Provided by American Chemical Society

Citation: Compound from medicinal herb kills brain-eating amoebae in lab studies (2021, January 13) retrieved 23 September 2024 from <https://phys.org/news/2021-01-compound-medicinal-herb-brain-eating-amoebae.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.