

New study examines leeches for role in major disease of sea turtles in Florida

February 18 2021, by Robert Wells



FP causes sea turtles to develop tumors on their bodies, which can limit their health and mobility. Credit: Jake Kelley. Permit: MTP-231 and NMFS #19508

University of Central Florida researchers are homing in on the cause of a major disease of sea turtles, with some of their latest findings implicating saltwater leeches as a possible factor.

The disease, known as fibropapillomatosis, or FP, causes [sea turtles](#) to develop tumors on their bodies, which can limit their mobility and also their health by interfering with their ability to catch and eat prey.

While the cause of FP isn't known, saltwater leeches have been suspected to play a role due to their frequent presence on areas of [sea turtles](#) where FP tumors often develop, such as on their eyes, mouths and flippers.

The results, which were published recently in the journal *Diseases of Aquatic Organisms*, are the first evidence of a significant association between leeches and the disease in sea turtles, according to the researchers.

"Florida is one of the areas most heavily impacted by FP," says Anna Savage, an associate professor in UCF's Department of Biology and study co-author. "Over the past three decades, approximately half of the green turtle juveniles encountered in the Indian River Lagoon have FP tumors, which is one of the highest rates documented," she says.

Sea turtle health is important because the ancient marine reptiles contribute to healthy oceans and coastlines by grazing and maintaining sea grass beds.



Leah Rittenburg, a recent undergraduate alumna of UCF's Biology Department and the study's lead author, spearheaded the research and was responsible for the genetic analyses. Credit: MTRG. Permit: MTP-231 and NMFS #19508

All sea turtles are categorized as threatened or endangered because of threats from pollution, coastal development and fishing, in addition to infectious diseases.


Central Florida's Atlantic coastline hosts about one-third of all green

turtle nests in the state and is one of the most important nesting areas in the world for loggerheads.

Knowing if leeches play a role in the [disease transmission](#) can help researchers better understand and predict its spread, as well as inform conservation actions, such as leech removal in sea turtle rehabilitation centers.

The study's lead author and a recent undergraduate alumna of UCF's Biology Department, Leah Rittenburg, spearheaded the research and was responsible for the [genetic analyses](#).

To find out a possible connection between leeches and FP, the researchers documented the presence of leeches on green and loggerhead turtles captured from the Indian River Lagoon and also used genetic analyses to determine if leeches collected from the turtles contained chelonid alphaherpesvirus 5, or ChHV5, the virus most likely responsible for [disease](#) development in an individual turtle.



Saltwater leeches have been suspected to play a role in FP due to their frequent presence on areas of sea turtles where FP tumors often develop. An arrow points to a leech. Credit: Chris Long. Permit: MTP-231 and NMFS #19508

"Our [historical data](#), collected by the UCF Marine Turtle Research Group between 2006 and 2018, revealed that leech parasitism was significantly associated with FP in green turtles but not in loggerhead turtles," Rittenburg says.

"For the genetic analysis, about one-fifth of the leeches we collected were positive for ChHV5, and one [leech](#) species trended towards coming from FP-positive turtles, further supporting the hypothesis that leeches may act as ChHV5 transmitters," she says.

Now that the researchers have demonstrated a relationship between FP and leeches, they want to evaluate more specifically if leeches transmit the turtle herpesvirus, which would provide stronger evidence that the virus is an underlying cause of FP.

More information: LT Rittenburg et al, Marine leech parasitism of sea turtles varies across host species, seasons, and the tumor disease fibropapillomatosis, *Diseases of Aquatic Organisms* (2020). [DOI: 10.3354/dao03549](#)

Provided by University of Central Florida

Citation: New study examines leeches for role in major disease of sea turtles in Florida (2021, February 18) retrieved 22 September 2024 from <https://phys.org/news/2021-02-leeches-role-major-disease-sea.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.