


# Fine-tuning device performance with swarms of swimming cells

February 22 2021, by Beth Miller



J. Mark Meacham is turning the standard practice of using microfluidic tools for scientific discovery on its head by using a living organism for real-time measurement and monitoring of acoustic microfluidic device performance. Credit: Washington University in St. Louis

Scientists use acoustic microfluidic devices to separate and sort

components in fluids, such as red and white blood cells, platelets and tumor cells in blood, to better understand diseases or to develop new treatments. However, technologies developed in research labs often lack the consistent performance needed for use in clinical and industrial settings.

A team of researchers at Washington University in St. Louis is turning the [standard practice](#) of using microfluidic tools for [scientific discovery](#) on its head by using a living organism for real-time measurement and monitoring of acoustic microfluidic device performance.

J. Mark Meacham, assistant professor of mechanical engineering & [materials science](#) in the McKelvey School of Engineering, used *Chlamydomonas reinhardtii*, a single-cell green alga that swims with two cilia, or whip-like structures, to test the efficacy of bulk acoustic wave devices created in his lab. These devices use piezoelectric materials to translate an electrical signal to mechanical vibrations, which then generate ultrasonic standing waves in the fluid-filled channel of a device.

Meacham and Minji Kim, a doctoral student in his lab, design these devices to operate at multiple resonant frequencies to generate strong acoustic waves with maximum energy transfer. Efficient operation is critical because inefficient devices generate heat that can kill biological cells.

It is the first reported work to provide this functionality in real time and for a variety of device geometries. Results of the work are published in *Lab on a Chip* Feb. 9, 2021, and are featured on the back cover of the print journal.

"The goal of this work is to use these cells to characterize the acoustic field, to find resonances and to assess field strength, and eventually to calibrate device performance using the cells as our measurement tool,"

Meacham said. "We know how much power is put in. The cells give us a way to evaluate how much of that power is useful."

**More information:** Minji Kim et al. Motile cells as probes for characterizing acoustofluidic devices, *Lab on a Chip* (2021). [DOI: 10.1039/D0LC01025A](https://doi.org/10.1039/D0LC01025A)

Provided by Washington University in St. Louis

Citation: Fine-tuning device performance with swarms of swimming cells (2021, February 22) retrieved 21 September 2024 from <https://phys.org/news/2021-02-fine-tuning-device-swarms-cells.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.