

Species evolve heat tolerance more slowly than cold tolerance

March 4 2021



Credit: Pixabay/CC0 Public Domain

Many species might be left vulnerable in the face of climate change, unable to adapt their physiologies to respond to rapid global warming. According to a team of international researchers, species evolve heat

tolerance more slowly than cold tolerance, and the level of heat they can adapt to has limits.

In a study published in the *Nature Communications*, McGill professor Jennifer Sunday and her co-authors wanted to understand how species' thermal limits have evolved. To examine variation across the tree of life, the researchers developed the largest available database compiling thermal tolerances for all types of organisms (GlobTherm database).

The researchers found that first and foremost, a species' thermal [tolerance](#) is linked to the current [climate](#) where they live. "It's logical that thermal limits mostly match a species' present-day climate but tracing the evolutionary history of thermal limits can reveal how species got to be where they are today," says Sunday, an Assistant Professor in the Department of Biology.

The researchers also found that tolerance to cold has evolved much faster than tolerance to heat, particularly in endotherms as compared to ectotherms and plants. Endothermic animals are those that generate metabolic heat to regulate their own body temperature—for example, mammals and birds—while ectothermic animals are those that regulate their body temperature using external [heat](#) sources, like reptiles, fishes and invertebrates.

One cause of this disparity could be that [heat tolerance](#) has reached an evolutionary barrier, called an 'attractor,' beyond which further evolution is constrained or selected against. "This is very concerning because it suggests that the vast majority of [species](#) will not be able to adapt fast enough to survive the unprecedented rate of contemporary climate change," says co-author Joanne Bennett of Leipzig University and University of Canberra.

The results of this study are particularly relevant to conservation

management, say the researchers. Protecting and creating areas that provide refuges for biodiversity from upper temperature extremes is a key strategy for conservation managers.

More information: Joanne M. Bennett et al, The evolution of critical thermal limits of life on Earth, *Nature Communications* (2021). [DOI: 10.1038/s41467-021-21263-8](https://doi.org/10.1038/s41467-021-21263-8)

Provided by McGill University

Citation: Species evolve heat tolerance more slowly than cold tolerance (2021, March 4)
retrieved 19 September 2024 from
<https://phys.org/news/2021-03-species-evolve-tolerance-slowly-cold.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.