

# Light pollution drives increased risk of West Nile virus

March 23 2021

---



University of South Florida researchers sample mosquito for West Nile virus.  
Credit: University of South Florida

Florida has experienced a relatively mild winter, which typically

translates to more mosquitoes in the summer and more birds on which they can feast. If history repeats itself, it's likely there will be an uptick in West Nile virus cases this year, especially in the outer fringes of the suburbs where much of the nighttime illumination emanates from the skyglow of nearby cities.

A new study from the University of South Florida (USF) is the first to provide direct evidence that [light pollution](#) is driving infectious disease patterns in nature. The research team previously determined mosquitoes and [birds](#) are attracted to light, greatly enhancing the likelihood that they'll spread West Nile virus to animals and humans. Their new findings published in the *Proceedings of the Royal Society B* are in contrast to previous studies that have blamed urbanization due to its [human population density](#) and breeding hotspots, such as [drainage systems](#).

"We knew that light pollution could affect host immune defenses and behavior," said lead author Meredith Kernbach, doctoral student in the USF College of Public Health. "But what we didn't know until now is that light pollution can significantly affect when and where West Nile virus emerges in nature."

The research team, which includes collaborators from the University of Georgia and California Polytechnic State University, modeled West Nile virus exposure data from the Florida Department of Health. They studied 6,468 antibody samples from [sentinel chickens](#) collected between the months of June and December over four years in 105 coop locations throughout the state. Researchers found most cases of West Nile virus were present in chickens exposed to low levels of light compared to those surrounded by unpolluted and intensely light-polluted areas.



University of South Florida researchers studied 6,468 antibody samples from sentinel chickens collected by the Florida Department of Health. Credit: Alissa BerroPinellas County Public Works Department

"We think that we got a peak at low levels of light because of the many ways that light pollution is probably driving risk of infection," said Marty Martin, professor of disease ecology in the USF Center for Global Health and Infectious Disease Research. "Based on prior work, we know that light pollution affects bird immune responses to West Nile virus, but there's probably an effect, too, on mosquito abundance, as most insects are attracted to light. Even birds might be attracted to light-polluted sites, as food could be more plentiful or obvious there. Maybe all of these

forces coming together is what elevates risk in modestly light-polluted sites."

Many county health departments use sentinel chickens as a surveillance mechanism to monitor for West Nile virus and other mosquito-borne diseases. They typically don't get sick from the virus and can't transmit it to mosquitoes, people or other birds. Counties strategically place coops in locations that best represent the local human population, helping identify where to direct mitigation efforts that can prevent the spread of infection.

These findings support a 2019 study from USF that found exposure to artificial [light](#) increases the infection period of wild birds, increasing the potential of West Nile [virus](#) outbreaks by 41 percent.

**More information:** Light pollution affects West Nile virus exposure risk across Florida, *Proceedings of the Royal Society B* (2021).  
[rspb.royalsocietypublishing.org ... .1098/rspb.2021.0253](https://royalsocietypublishing.org/doi/10.1098/rspb.2021.0253)

Provided by University of South Florida

Citation: Light pollution drives increased risk of West Nile virus (2021, March 23) retrieved 19 September 2024 from <https://phys.org/news/2021-03-pollution-west-nile-virus.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.