


Comparison of continental hydrological models helps improve water management

July 8 2021, by Morgan Kelly



The researchers examined the components and processes within two enormous models known as ParFlow-CLM (top) and WRF-Hydro (bottom), which capture hydrological processes for the entire United States. It took a year of running supercomputer simulations and analyzing large data sets to resolve the biases and

discrepancies between the two models, as well as compare them to almost 3,000 streamflow observations. Credit: Danielle Tijerina, Department of Civil and Environmental Engineering

While Earth's freshwater resources are finite, the challenge of effectively and sustainably managing them as we head into a warmer future with a growing human population means keeping tabs on a seemingly endless network of above- and below-ground waterways.

For the United States, two enormous models have been developed that capture [hydrological processes](#)—from forecasting floods to predicting groundwater levels—for the entire continent. Now, a project led by Princeton University researchers has undertaken the Herculean task of checking those two models against each other to ensure that scientists and policymakers are working from consistent, [accurate data](#) when it comes to managing the nation's water budget.

Researchers from Princeton, the National Center for Atmospheric Research (NCAR), the University of Arizona (UA), and NASA published the results of the first phase of the Continental Hydrologic Intercomparison Project (CHIP). The team spent a year running supercomputer simulations and analyzing [large data sets](#) as they compared the two continental models—known as WRF-Hydro and ParFlow-CLM—to each other and to almost 3,000 streamflow observations, according to a report in the journal *Water Resources Research*.

The researchers sought to examine the components and processes within each model as well as resolve any biases and discrepancies between them. The project stands as the first model-to-model comparison of this scale and provides an important proof-of-concept for rigorously

comparing very large-scale hydrologic models, the researchers reported.

The results of the study not only increase scientists' knowledge of how to model hydrologic processes, but also of how to improve future forecasts, said first corresponding author Danielle Tijerina, a doctoral student in civil and [environmental engineering](#) at Princeton.

"Because all models have inherent biases, one of our main goals was to use model streamflow performance to isolate specific biases, which then gives model developers a platform to begin improving certain aspects of these models," Tijerina said. "We want to emphasize that this was a huge collaborative effort between different modeling groups, which is essential for the development and improvement of these community models."

By examining and resolving the discrepancies between each [model](#), the researchers also have helped build scientific and [public trust](#) in the transparency and accuracy of hydrologic modeling, said co-corresponding author Reed Maxwell, Princeton professor of civil and environmental engineering and the High Meadows Environmental Institute (HMEI).

This trust is critical as scientists, policymakers and the community work together to conserve and protect the nation's water resources, he said. Maxwell is co-principal investigator of HydroGEN, a project funded with a \$1 million Convergence Accelerator grant from the National Science Foundation (NSF) that will use artificial intelligence to simulate the nation's natural groundwater system in an effort to improve water management and help people better prepare for flooding and drought.

"The scale and depth of this [project](#) helps build the community confidence—and provide the insight into watershed modeling—needed to forge broad collaborations that will improve the hydrologic modeling

of watersheds across the United States," said Maxwell, who is director of the Integrated GroundWater Modeling Center based in HMEI.

The paper, "Continental Hydrologic Intercomparison Project, Phase 1: A Large-Scale Hydrologic Model Comparison Over the Continental United States," was published in the July 2021 edition of *Water Resources Research*.

More information: Danielle Tijerina et al, Continental Hydrologic Intercomparison Project, Phase 1: A Large-Scale Hydrologic Model Comparison Over the Continental United States, *Water Resources Research* (2021). [DOI: 10.1029/2020WR028931](https://doi.org/10.1029/2020WR028931)

Provided by Princeton University

Citation: Comparison of continental hydrological models helps improve water management (2021, July 8) retrieved 19 September 2024 from <https://phys.org/news/2021-07-comparison-continental-hydrological.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--